



CATALOGUE 2020

The Specialist Fixing Supplier

Exclusively to the Distributor

WELCOME TO JCP



JCP-THE SPECIALIST FIXING DIVISION OF OWLETT-JATON

JCP Construction Products is a leading supplier of high-quality construction fixings exclusively to the distributor. Established in 2001, we have grown to be a leading force in the UK fixings market; offering unrivalled technical support. The specialist fixing division of Owlett-Jaton, JCP supplies a wide range of quality anchoring products for use within the construction industry.

OUR COMMITMENT TO STOCK MEANS PRODUCTS ARE AVAILABLE, COMPETITIVELY PRICED, FOR NEXT DAY DELIVERY THROUGHOUT THE MAJORITY OF THE UK.

Offering a comprehensive range of products to suit a variety of applications, JCP products come with full technical specification and in a number of cases European Technical Assessments or CE approvals. With quality and technical support underpinning JCP's approach, continual innovation ensures our range of products meets the ever-changing demands of the industry.

Our dedicated technical support team is able to offer site visits to perform pull out tests to demonstrate the suitability of our products.

Owlett-Jaton

Owlett-Jaton is the UK's leading wholesale supplier of fasteners, fixings, sealants, adhesives, and associated products to the distributor and merchant trade. Offering in excess of 30,000 product lines, we are also the largest stockholder in the industry.

Recognised within the trade as a total solution supplier; Owlett-Jaton offers a comprehensive stock range in depth, volume and continuity of supply. Delivering continually high service levels, which the industry has come to expect, Owlett-Jaton has an enviable reputation for high-quality products and unrivalled customer service.

Owlett-Jaton is the name behind some of the UK's leading fastener and fixing brands, including JCP, Unifix, Vortex and Thunderbolt. With over 30,000 lines in stock and next day delivery across the majority of the UK,

Owlett-Jaton has a strong focus on servicing customers in a consistent and sustainable way. A network of sales offices strategically placed across the UK offers access to experienced staff, whilst online ordering provides visibility to pricing, stock availability, and more.

Operating from a purpose-built 14,000m² warehouse in Stone, Staffordshire, our comprehensive stock line-up is backed by large stocks and efficient operations. Our products are sourced exclusively from ISO 9001 factories and Owlett-Jaton itself is accredited to ISO 9001:2015.

Owlett-Jaton is committed to operating in an environmentally sustainable manner and is certified to ISO 14001:2015.

OWLETT-JATON DELIVERS THE BROADEST RANGE AND CONSISTENTLY HIGH SERVICE LEVELS FOR ALL CUSTOMERS.



Our sales offices are open Monday to Thursday 8.30 am to 5.30 pm and 8.30 am to 5.00 pm on Fridays.

Account-holders can order online - 24 hours a day, 7 days a week from www.ojtrade.co.uk

Technical Helpline: 020 8943 1800 or email jcp@owlett-jaton.com



ANCHOR CALCULATION PROGRAM AVAILABLE FROM THE JCP WEBSITE.

The Anchor Calculation Program provides solutions for anchoring into both cracked and non-cracked concrete. The tool is designed for engineers, specifiers and architects to simplify specifying connections to surfaces such as floors, ceilings and walls, and takes into account loadings, spacing and edge distances. It includes 3D graphics, along with hole depth optimisation for chemical anchors.

Developed by our Technical Department, the JCP Anchor Specification Program has recently been updated to include a rebar calculator, making it now a 'Suite' of programs. The two programs together, the ACP and Rebar calculator offer choice as to which one works best for the project being worked on.

It has the facility to calculate numerous configurations of fixings in different base plate geometry. Calculations are carried out in accordance with the current European Guide EOTA TR 029 for bonded anchors and EOTA ETAG-001 ANNEX C for mechanical anchors.

The software and database are updated regularly to ensure the program is compliant with any changes in legislation or industry standards.

Further updates are scheduled for throughout 2020 including a façade calculator to advise project planners how many anchors a façade will need, and where to apply them.

The JCP Anchor Calculation Program is free to download via
www.jcpfixings.co.uk/anchor-calculator-tool

JCP IS A MEMBER OF THE EUROPEAN CONSORTIUM OF ANCHOR PRODUCERS.

A small group of small and medium-sized European producers, the members join forces in a 100 % self-financed consortium to influence the standardisation of their products. The products include mechanical, chemical and plastic anchors, powder actuated tools and their components, concrete and wood screws and 3-D nailing plates.



The Specialist Fixing Supplier

Exclusively to the Distributor

JCP
CONSTRUCTION
PRODUCTS

CONTENTS



HEAVY DUTY

Throughbolts	10
Wirehangers.....	13
Nail In Sockets	13
Ankerbolts	14
Ankerbolt Drop In	16
Socket Bolts	17
Hook Bolts	17
Eye Bolts.....	17
Torx Driver Bits	17
Sleeve Anchors	18
Drop In Anchors	20
Forged Hook Bolts.....	22
Forged Eye Bolts	22
Scaffold Ring Bolts	22
Scaffold Retaining Eyes	22
Scaffold Eye Plugs.....	22
Heavy Duty Anchors	23
Blindbolts	25

MEDIUM DUTY

Shield Anchors	28
Concrete Screws	30

LIGHT DUTY

Nail In Anchors	31
Masonry Nails	31
Grooved Nails	32
Plastic Headed Nails	32
Basin Fixing.....	32
W.C. Fixing.....	32
Flange Clips	33

Angle Brackets	33
Wall Screws	33
Bigtwist Nail.....	34
Fixing Bands	34

CHEMICAL ANCHORS AND ACCESSORIES

Pure Epoxy Resin	35
Vinylester Resin	35
Epoxy Acrylate Resin	35
Vinylester Fast Cure	36
Polyester Resins.....	36
Rockite	37
Kwixset	37
Glass Capsules.....	37
J-Fix Studs.....	38
Injection Resin Sockets.....	40
Internal Threaded Sockets	40
Injection Tools.....	41
Injection Tool Accessories	41
Nylon Sleeves	41
Wire Mesh Sleeves.....	41
Cleaning Brushes	42
Blow Out Pump.....	42
Intumescent and Acoustic Mastic... ..	42
Crack Stitch Twist Starter Kit	42
Pointing Gun	42
Mixing Paddle.....	42
Stitching Bar.....	43
Cementitious Grout.....	43
Expanding Foam	43
Polyurethane Cleaner.....	44
Applicator Guns.....	44

NYLON AND CAVITY

Hammer Screws	45
Nail Plugs.....	45
Frame Fixings.....	46
Push Plugs.....	47
Wall Plugs	48
Plastic Plugs.....	48
Expansion Plugs.....	49
Plasterboard Fixings.....	49
Plasterboard Kits	49
Road Fixing Kits.....	49
Ankernuts.....	50
Rosett Cavity Fixings.....	50
Hollow Wall Anchors	50
Spring Toggles	51

PA AND GAS

Drivefast Gas Nails	52
Ceiling Hangers.....	54
Cartridge Tools	54
Tool Kit PA97	54
Cartridge Strips	54
Shot Fired Pins	55
Plastic Washered Pins	55
Magazine Pins	55



SELF DRILLING SCREWS

Metalfix	56
Woodfix.....	57
Fibre Cement Screws	60
Coloured Cover Caps.....	62
Vertical Hangers	62
Horizontal Hangers	63
Setting Tools	63

DRILL BITS

SDS+ Drill Bits.....	64
Masonry Drill Bits.....	65
Drill Bit Sets.....	66
HSS Drill Bits.....	66
HSS Drill Bit Cases.....	68
HSS Countersink Bits	68
Multidril Universal Drill	69
Flat Wood Bits.....	70
Centre Spur Wood Bits.....	70

RETAIL BAGS

Throughbolts	74
Sleeve Anchors	74
Ankerbolts	74
Shield Anchors.....	75
Concrete Screws	76
Nylon Frame Fixings.....	76
Wall Plugs	77
Rosett Cavity Fixings.....	77
Plasterboard Fixings.....	77

Plasterboard Plugs	78
Hollow Wall Anchors	78
Spring Toggles	78
Nylon Toggles.....	78
Masonry Nails	79
Bigtwist Nails.....	79
Sanitary Fixings	79
Wall Screws	79
Self Drill Screws	80
Woodfix Screws	80
Gash Point Screws.....	81
Stitching Screws	81
EPDM Washers.....	81
Wafer Head Screws.....	81
Drive Sockets.....	81
Plastic Headed Nails.....	81

TRADE BAGS

Throughbolts	82
Ankerbolts	82
Shield Anchors.....	83
Concrete Screws	83
Nylon Frame Fixings.....	84
Nylon Hammer Screws.....	84
Wall Plugs	84
Plasterboard Fixings.....	84
Hollow Wall Anchors	85
Rosett Cavity Fixings.....	85
Gash Point Screws.....	85
Self Drill Screws	85
Stitching Screws	86

Woodfix Screws	86
Wall Screws	86

POLYBAGS AND MINIBAGS

Shield Anchors.....	88
Plasterboard Fixings.....	89
Rosett Cavity Fixings.....	89
Plastic Toggles	89
Hollow Wall Anchors	89
Spring Toggles	90
Masonry Nails	90
Nylon Frame Fixings.....	90
Nylon Hammer Screws.....	90
Concrete Screws	91
Wall Plugs	91
Sleeve Anchors	92
Throughbolts.....	92
Ankerbolts.....	93
Woodfix Screws	93
Metalfix Screws	94
Gash Point Screws.....	94
Stitching Screws	95
Looose EPDM Washers.....	95
Wafer Head Screws.....	95
Drive Sockets	95
Cover Caps.....	95

Supersedes all previous price lists. All prices subject to change without notice. E&OE. Data subject to change without prior notification.



The Specialist Fixing Supplier

Exclusively to the Distributor

JCP
CONSTRUCTION
PRODUCTS

TECHNICAL DATA LIBRARY

- Product information
- Load and range data
- Performance data
- Installation instructions
- Features
- Base material guidance
- Related products

www.jcpfixings.co.uk



Throughout the UK we offer onsite testing of the product by our highly experienced field representatives, where required. Whether a building regulation requirement or for peace of mind, we will provide advice on behalf of a distributor. On-site pull out tests are part of the JCP culture.

In addition, our technical support team provide a troubleshooting technical back up when required, should things not go to plan when products are being installed.

Further technical information, anchor calculations etc. are also available via our technical helpline. Highly experienced, our technical support team have many years of knowledge within the industry and can be relied on to offer guidance when required.

The JCP portfolio of products contains a large number of certified and accredited products. Look for the symbols below alongside the products to easily identify which they are.



Our sales offices are open Monday to Thursday 8.30 am to 5.30 pm and 8.30 am to 5.00 pm on Fridays.

Account-holders can order online - 24 hours a day, 7 days a week from www.ojtrade.co.uk

Technical Helpline: 020 8943 1800 or email jcp@owlett-jaton.com



TRAINING

Our technical department offers training sessions in our dedicated training centre in Teddington for distributors, project managers and designers when required. With three key topics covered, they can all be tailored to meet the needs of the audience. This training provides an opportunity for people to get a hands-on-experience with JCP's fixings.

BASIC

This session is designed for those who know very little about fixings and covers an introduction to fixings, fixings and construction regulations and practical fixing practices.

ADVANCE - FOR PEOPLE WITHOUT AN ENGINEERING BACKGROUND

For those with adequate industrial knowledge about fixings who wish to learn more. This covers an introduction to modern fixings, introduces JCP's anchor calculation program, looks at fixing and construction regulations plus detailed practical fixing practices.

ADVANCE - FOR ENGINEERS

Focussed for individuals with an engineering knowledge about fixings such as designers and project managers-This advanced session covers an introduction to connection design, Eurocodes and regulations for fixings, introduces JCP's anchor calculation program, result interpretation and passive fire resistance fixing design.

If you are interested in finding out more about our training please contact our technical helpline.

The Specialist Fixing Supplier

Exclusively to the Distributor

JCP
CONSTRUCTION
PRODUCTS

PRODUCT FINDER



Product	Page No.	Non-Cracked Concrete	Cracked Concrete	Stone	Dense Concrete Blocks-Solid	Solid Brickwork	Perforated Brickwork	Light Aggregate Block-Solid	Light Aggregate Block-Hollow	Aerated Concrete Blocks-Solid	Hollow Concrete Planks	Hollow Clay Pots	Plasterboard	Solid Steel	Hollow Steel Section	Timber
Throughbolt Zinc Plated	10	●			●											
Throughbolt Option 1	10	●	●		●											
Throughbolt Option 7	11	●			●											
Throughbolt Hot Dipped Galv	12	●			●											
Throughbolt Stainless Steel A2	12	●			●											
Throughbolt Stainless Steel A4	13	●			●											
Wire Hanger	13	●			●											
Nail In Socket	13	●			●											
Ankerbolt	14	●		●	●	●		●			●					
Ankerbolt Option 1	16	●	●	●	●	●		●			●					
Ankerbolt Stainless Steel	16	●		●	●	●		●			●					
Sleeve Anchor	18	●		●	●	●										
Drop In Anchor	20	●														
Lipped Drop In Anchor	20	●			●						●					
Approved Drop In Anchor	20	●	●													
Approved Lipped Drop In Anchor	20	●			●						●					
Drop In Anchor Stainless Steel	21	●														
Lipped Drop In Anchor Stainless Steel	21	●	●		●						●					
Scaffold Eye and Plugs	22	●		●	●	●		●								
Heavy Duty Anchors	23	●	●													
Blindbolt	25													●	●	
Shield Anchors	28	●		●	●	●										
Concrete Screws	30	●			●	●	●	●								
Nail In Anchors	31	●			●											
Masonry Nails	31					●	●	●								
Grooved Nail	32					●	●	●								
Plastic Headed Nail	32					●	●	●								
Sanitary Fixings	32	●			●	●		●								
Wall Screw	33	●			●	●	●	●	●	●	●		●			

Full Suitability ● More Suitable Alternative Available ●

Our sales offices are open Monday to Thursday 8.30 am to 5.30 pm and 8.30 am to 5.00 pm on Fridays.

Account-holders can order online - 24 hours a day, 7 days a week from www.ojtrade.co.uk

Technical Helpline: 020 8943 1800 or email jcp@owlett-jaton.com

Product	Page No.	Non-Cracked Concrete	Cracked Concrete	Stone	Dense Concrete Blocks-Solid	Solid Brickwork	Perforated Brickwork	Light Aggregate Block-Solid	Light Aggregate Block-Hollow	Aerated Concrete Blocks-Solid	Hollow Concrete Planks	Hollow Clay Pots	Plasterboard	Solid Steel	Hollow Steel Section	Timber
Epoxy Resin	35	●	●	●	●	●		●		●						
Vinylester Resin	35	●	●	●	●	●		●		●						
Epoxy Acrylate Resin	35	●		●	●											
Polyester Styrene Free Resin	36			●	●	●	●	●	●	●	●	●				
Polyester Resin	36			●	●	●	●	●	●	●	●	●				
Injection Resin Sleeve	41						●		●		●	●				
Spin In Capsules	37	●														
Hammer In Capsules	37	●														
Rockite (Interior)	37	●	●		●											
Kwikset (Exterior)	37	●	●		●											
Bigtwist	34															●
Crack Stitching	42					●	●	●	●	●						
Hammerscrews	45	●		●	●	●	●	●	●							
Nylon Frame Fixings	46	●		●	●	●		●	●							
Approved Frame Fixings	47	●		●	●	●	●	●	●	●						
Nylon Plugs	48	●		●	●	●	●	●	●	●	●					
Plastic Plugs	48	●		●	●	●	●	●	●	●	●					
Metal Plugs	49									●						
Plasterboard Fixings	49												●			
Ankernut	50	●					●		●			●	●			
Rosett	50											●	●			
Hollow Wall Anchor	50												●			
Spring Toggle	51												●			
Plastic Toggle	51												●			
Drivefast Nails	52															●
Powder Actuated Drive Pins	55	●			●	●								●	●	
Self Drilling Screws	56													●	●	
Gash Point Screws	58															●

Full Suitability ● More Suitable Alternative Available ●

The Specialist Fixing Supplier

Exclusively to the Distributor





THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25. • Min 5µm

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TB06045	6	45	20	5	35	100	1.26	49.83
TB06055	6	55	30	15	35	100	1.34	54.24
TB06085	6	85	60	45	35	100	2.12	57.70
TB08050	8	50	20	5	40	100	2.60	66.89
TB08065	8	65	35	20	40	100	3.14	71.55
TB08080	8	80	50	35	40	50	3.54	81.16
TB08100	8	100	70	55	40	50	4.08	85.36
TB08130	8	130	85	85	40	50	4.88	96.47
TB10065	10	65	25	8	50	50	4.80	90.05
TB10075	10	75	35	18	50	50	5.40	95.20
TB10090	10	90	50	33	50	50	6.32	104.39
TB10100	10	100	50	43	50	50	6.95	108.75
TB10120	10	120	80	63	50	20	8.20	123.00
TB10150	10	150	110	93	50	20	10.25	146.14
TB10175	10	175	135	118	50	20	12.30	157.38
TB12080	12	80	30	5	65	20	8.10	142.11
TB12100	12	100	50	25	65	20	9.60	149.37
TB12120	12	120	70	45	65	20	11.30	180.14
TB12140	12	140	90	65	65	20	13.00	198.10
TB12180	12	180	90	105	65	20	16.40	255.51
TB16105	16	105	60	10	85	20	19.85	278.29
TB16125	16	125	65	30	85	20	22.50	339.92
TB16150	16	150	90	55	85	20	26.18	379.20
TB16175	16	175	90	80	85	10	29.85	433.40
TB16220	16	220	90	125	85	10	35.00	512.18
TB20130	20	130	60	20	100	10	36.80	485.22
TB20160	20	160	60	50	100	10	45.20	539.86
TB20215	20	215	60	105	100	10	58.10	776.78
TB24180	24	180	65	45	120	10	69.00	1,150.62
TB24260	24	260	65	125	120	5	98.00	1,539.39

THROUGHBOLTS

Suitable for use in cracked concrete and non-cracked concrete. • Min 5µm

Zinc Plated and
Clear Passivated



Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ETA08075	8	75	20	10	60	100	2.99	100.12
ETA08095	8	95	40	30	60	100	3.60	106.88
ETA08115	8	115	60	50	60	100	4.24	119.88
ETA10090	10	90	20	10	75	50	5.88	138.63
ETA10110	10	110	40	30	75	50	6.88	168.02
ETA10130	10	130	60	50	75	50	9.90	185.30
ETA12110	12	110	30	15	90	25	9.92	205.81
ETA12125	12	125	45	30	90	25	11.0	250.01
ETA12160	12	160	80	65	90	25	13.60	328.31
ETA12180	12	180	80	85	90	25	15.00	354.05
ETA16135	16	135	35	15	110	20	21.60	439.31
ETA16170	16	170	70	50	110	20	26.30	538.42
ETA16200	16	200	80	80	110	10	32.00	623.23



THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25 • Min 5µm

Zinc Plated and
Clear Passivated



• ETA • Option 7
Uncracked
Concrete

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Quantity Per Box	Price £ Per 100
AWA06060	6	60	3	100	71.02
AWA06080	6	80	23	100	76.28
AWA08050*	8	50	5	100	71.44
AWA08065	8	65	7	100	76.41
AWA08075	8	75	17	50	86.68
AWA08090	8	90	37	50	89.64
AWA08100	8	100	42	50	91.16
AWA08115	8	115	57	50	97.49
AWA08130	8	130	72	50	103.03
AWA10065*	10	65	10	50	96.17
AWA10075	10	75	10	50	101.67
AWA10090	10	90	25	50	111.48
AWA10100	10	100	35	50	116.14
AWA10120	10	120	55	20	131.36
AWA10150	10	150	85	20	168.55
AWA12080	12	80	8	20	151.76
AWA12090	12	90	8	20	155.40
AWA12100	12	100	18	20	159.52
AWA12110	12	110	28	20	177.51
AWA12120	12	120	38	20	192.38
AWA12140	12	140	58	20	211.56
AWA12160	12	160	78	20	242.03
AWA12180	12	180	98	20	272.87
AWA12200	12	200	118	25	283.62
AWA16105*	16	105	5	20	297.20
AWA16125	16	125	10	20	363.02
AWA16145	16	145	30	20	404.96
AWA16170	16	170	55	10	462.86
AWA16220	16	220	105	10	546.99
AWA20130*	20	130	15	10	518.20
AWA20170	20	170	35	10	576.55
AWA20215	20	215	80	10	829.57
AWA24180*	24	180	5	10	1,228.82
AWA24260*	24	260	85	5	1,644.01

* Not included in approval





THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25 • EN1461

Hot Dipped
Galvanised

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TG08050	8	50	22	5*	45	100	2.32	118.72
TG08075	8	75	25	10	65	100	3.44	131.73
TG08095	8	95	25	30	65	100	4.19	143.60
TG08120	8	120	25	55	65	100	5.09	157.62
TG10060	10	60	25	10*	50	50	4.62	156.53
TG10070	10	70	30	20*	50	50	5.21	170.18
TG10080	10	80	30	10	70	50	6.00	171.56
TG10100	10	100	30	30	70	50	6.94	175.96
TG10125	10	125	30	50	70	50	8.42	198.64
TG12085	12	85	50	10*	70	25	10.00	241.82
TG12100	12	100	35	5	90	25	10.20	263.40
TG12115	12	115	35	20	90	25	11.36	267.71
TG12145	12	145	35	50	90	25	13.92	309.92
TG12180	12	180	80	85	90	25	16.84	429.68
TG16110	16	110	40	15*	85	20	20.70	451.27
TG16125	16	130	40	10	110	20	22.50	509.54
TG16150	16	150	40	30	110	20	25.20	571.84
TG16200	16	200	40	80	110	20	30.03	768.29
TG20170	20	170	45	25	130	10	49.60	1,127.17
TG20220	20	220	45	75	130	10	65.00	1,226.96
TG20280	20	280	45	135	130	10	72.49	1,557.27



THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25

Stainless Steel
Grade A2-304

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
TSSA206045	6	40	20	5	35	100	1.15	140.08
TSSA206065	6	65	35	25	35	100	1.38	158.20
TSSA208050	8	50	20	5	40	100	2.32	161.99
TSSA208075	8	75	50	30	40	50	3.44	186.01
TSSA208095	8	95	70	50	40	50	4.19	215.94
TSSA208120	8	120	75	75	40	50	5.09	240.10
TSSA210060	10	60	25	3	50	50	4.62	251.96
TSSA210080	10	80	35	23	50	50	6.00	275.96
TSSA210100	10	100	50	43	50	50	6.94	323.92
TSSA210125	10	125	85	68	50	20	8.42	372.20
TSSA210150	10	150	110	93	50	50	10.25	435.95
TSSA210175	10	175	135	118	50	20	11.4	495.65
TSSA212085	12	85	35	10	65	20	10.00	389.87
TSSA212100	12	100	50	25	65	20	10.20	419.96
TSSA212115	12	115	75	40	65	20	11.36	491.85
TSSA212145	12	145	90	70	65	20	13.92	564.00
TSSA212200	12	200	110	125	65	20	16.84	908.76
TSSA216110	16	110	60	15	85	20	16.80	892.80
TSSA216125	16	125	65	30	85	20	18.00	993.20
TSSA216150	16	150	90	55	85	20	25.20	1,169.68
TSSA216175	16	175	90	80	85	10	30.50	1,285.15
TSSA220170	20	170	60	60	100	10	49.60	1,999.85
TSSA220220	20	220	60	110	100	10	65.00	2,399.26



THROUGHBOLTS

Suitable for use in non-cracked concrete over C20/25.

Stainless Steel
Grade A4-316



Option 7
ETA • Non-Cracked
Concrete

Part Number	Anchor Hole Size mm	Anchor Length mm	Thread Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
TSS06040	6	40	16	5*	35	100	1.12	221.98
TSS06065	6	67	30	10	55	100	1.38	250.69
TSS08050	8	50	22	5*	45	100	2.32	256.70
TSS08075	8	75	40	10	65	100	3.44	294.75
TSS08095	8	95	60	30	65	100	4.19	342.19
TSS08120	8	120	85	55	65	100	5.09	380.32
TSS10060	10	60	25	10*	50	50	4.62	399.26
TSS10080	10	85	40	10	70	50	6.00	437.30
TSS10100	10	105	60	30	70	50	6.94	513.29
TSS10125	10	125	80	50	70	50	8.42	589.79
TSS10175	10	175	80	100	70	50	11.40	764.30
TSS12085	12	95	50	14*	80	25	10.00	617.69
TSS12100	12	105	60	10	90	25	10.20	665.48
TSS12115	12	115	70	20	90	25	11.36	779.37
TSS12145	12	145	100	50	90	25	13.92	893.73
TSS12200	12	200	100	105	90	25	16.84	1,440.03
TSS16110	16	115	60	13*	90	20	16.80	1,414.78
TSS16125	16	130	70	10	110	20	18.00	1,574.04
TSS16150	16	150	90	30	110	20	25.20	1,853.49
TSS16175	16	180	110	60	110	20	30.05	2,036.48
TSS20170	20	180	70	35	130	10	49.60	3,183.01
TSS20220	20	240	70	95	130	10	65.00	3,802.02

* Reduced loading due to shallow embedment



WIREHANGERS

An expansion anchor for security suspension wires. Suitable for use in non-cracked concrete over C20/25.

Part Number	Anchor Hole Size mm	Anchor Length mm	Eye Diameter mm	Minimum Hole Depth mm	Rec Tensile Load KN	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
TW06055	6	55	6	40	1.5	100	1.15	38.88



NAIL IN SOCKETS

An M8 & M10 dual thread socket that is simply hammered in to the base material.

Part Number	Anchor Hole Size mm	Anchor Length mm	Internal Socket Diameter mm	Minimum Hole Depth mm	Rec Tensile Load KN	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
NAS0625	6	25	M8 & M10	30	2.14	100	2.75	123.34
NAS0630	6	30	M8 & M10	35	2.81	100	2.85	129.60

**ANKERBOLTS**

Hexagon Flange Head • Min 5µm

A self tapping anchor for use in a variety of base materials. The self tapping action provides a positive anchorage in non-cracked concrete, brick, stone and blocks.

Zinc Plated and
Clear Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06050	5	50	25	35	8mm A/F	100	0.98	23.90
JAB05/06075	5	75	50	35	8mm A/F	100	1.35	26.80
JAB05/06100	5	100	75	35	8mm A/F	100	1.60	36.55
JAB06/08030	6	30	5	35	10mm A/F	100	1.00	28.25
JAB06/08050	6	50	20	40	10mm A/F	100	1.49	38.39
JAB06/08075	6	75	45	40	10mm A/F	100	2.02	49.69
JAB06/08100	6	100	70	40	10mm A/F	100	2.57	61.44
JAB06/08130	6	130	100	40	10mm A/F	100	3.23	73.01
JAB06/08150	6	150	120	40	10mm A/F	100	3.66	79.79

**ANKERBOLTS**

Hexagon Head • Min 5µm

Zinc Plated and
Clear Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB08/10060	8	60	20	55	15mm A/F	100	2.99	49.59
JAB08/10075	8	75	35	55	15mm A/F	100	3.58	59.93
JAB08/10100	8	100	60	55	15mm A/F	100	4.53	83.22
JAB08/10130	8	130	90	55	15mm A/F	50	5.20	117.72
JAB08/10150	8	150	110	55	15mm A/F	50	5.48	128.23
JAB10/12060	10	60	10	70	17mm A/F	50	4.68	77.49
JAB10/12075	10	75	25	70	17mm A/F	50	5.50	86.51
JAB10/12100	10	100	50	70	17mm A/F	50	7.06	112.53
JAB10/12130	10	130	80	70	17mm A/F	25	9.50	142.75
JAB10/12150	10	150	100	70	17mm A/F	25	10.15	173.58
JAB12/14075	12	75	15	85	19mm A/F	50	8.00	145.02
JAB12/14100	12	100	40	85	19mm A/F	50	10.18	175.43
JAB12/14130	12	130	70	85	19mm A/F	25	12.75	224.16
JAB12/14150	12	150	90	85	19mm A/F	20	14.17	315.36
JAB12/14200	12	200	140	85	19mm A/F	20	18.90	384.41
JAB14/16075	14	75	5	100	24mm A/F	25	12.62	316.96
JAB14/16100	14	100	30	100	24mm A/F	25	15.51	357.69
JAB14/16130	14	130	60	100	24mm A/F	20	19.00	437.69
JAB14/16150	14	150	80	100	24mm A/F	10	21.30	474.42
JAB14/16200	14	200	130	100	24mm A/F	10	27.19	623.35
JAB16/18100*	16	100	20	110	27mm A/F	10	22.00	490.90
JAB16/18150*	16	150	70	110	27mm A/F	10	29.70	572.40
JAB16/18200*	16	200	120	110	27mm A/F	10	37.60	703.10

* Mechanical Galvanised • Min 40µm

**ANKERBOLTS**

Pan Head • Torx Drive • Min 5µm

Zinc Plated and
Clear Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06050PH	5	50	25	35	16	T25	100	1.08	33.24
JAB05/06075PH	5	75	50	35	16	T25	100	1.45	42.18
JAB05/06100PH	5	100	75	35	16	T25	100	1.81	51.49
JAB06/08030PH	6	30	5	35	16	T30	100	1.25	35.50
JAB06/08050PH	6	50	20	40	16	T30	100	1.70	50.37
JAB06/08075PH	6	75	45	40	16	T30	100	2.26	62.31
JAB06/08100PH	6	100	70	40	16	T30	100	2.82	80.45



ANKERBOLTS

Countersunk Head • Min 5µm

Zinc Plated and
Clear Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB05/06030CS	5	30	5	35	12.5	T30 Torx	100	0.83	22.21
JAB05/06050CS	5	50	20	40	12.5	T30 Torx	100	0.97	25.31
JAB05/06075CS	5	75	45	40	12.5	T30 Torx	100	1.32	27.62
JAB05/06100CS	5	100	70	40	12.5	T30 Torx	100	1.65	30.23
JAB06/08030CS	6	30	5	35	12.5	T30 Torx	100	0.85	29.08
JAB06/08050CS	6	50	20	40	12.5	T30 Torx	100	1.19	31.94
JAB06/08075CS	6	75	45	40	12.5	T30 Torx	100	1.73	40.17
JAB06/08100CS	6	100	70	40	12.5	T30 Torx	100	2.58	50.30
JAB06/08130CS	6	130	100	40	12.5	T30 Torx	100	2.94	64.65
JAB06/08150CS	6	150	120	40	12.5	T30 Torx	100	3.32	73.98
JAB08/10060CS	8	60	20	55	17.5	T45 Torx	100	2.89	55.34
JAB08/10075CS	8	75	35	55	17.5	T45 Torx	100	3.48	63.04
JAB08/10100CS	8	100	60	55	17.5	T45 Torx	100	4.43	81.59
JAB10/12060CS	10	60	10	70	22	T50 Torx	50	4.58	81.17
JAB10/12075CS	10	75	25	70	22	T50 Torx	50	5.40	95.63
JAB10/12100CS	10	100	50	70	22	T50 Torx	50	6.96	118.10



ANKERBOLTS

Hexagon Flange Head • Min 40µm

Mechanical
Galvanised

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050G	6	50	20	40	10mm A/F	100	1.49	45.00
JAB06/08075G	6	75	45	40	10mm A/F	100	2.02	58.25
JAB06/08100G	6	100	70	40	10mm A/F	100	2.57	72.05



ANKERBOLTS

Hexagon Head • Min 40µm

Mechanical
Galvanised

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB08/10060G	8	60	20	55	15mm A/F	100	2.99	58.19
JAB08/10100G	8	100	60	55	15mm A/F	100	4.53	97.61
JAB08/10150G	8	150	110	55	15mm A/F	50	5.48	150.42
JAB10/12060G	10	60	10	70	17mm A/F	50	4.68	90.86
JAB10/12100G	10	100	50	70	17mm A/F	50	7.06	131.99
JAB10/12150G	10	150	100	70	17mm A/F	25	10.15	203.61
JAB12/14100G	12	100	40	85	19mm A/F	50	10.18	195.97
JAB12/14150G	12	150	90	85	19mm A/F	20	14.17	352.29
JAB12/14200G	12	200	140	85	19mm A/F	20	18.90	450.91



ANKERBOLTS

Suitable for cracked and non-cracked concrete.

Zinc Plated and
Clear Passivated



Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Price £ Per 100
JAB08/10075ETA	8	75	10	75	15mm A/F	100	68.54
JAB08/10100ETA	8	100	35	75	15mm A/F	100	94.61
JAB08/10130ETA	8	130	65	75	15mm A/F	50	128.59
JAB08/10150ETA	8	150	85	75	15mm A/F	50	135.93
JAB10/12100ETA	10	100	25	85	17mm A/F	50	126.73
JAB10/12130ETA	10	130	55	85	17mm A/F	25	161.37
JAB10/12150ETA	10	150	75	85	17mm A/F	25	179.76
JAB12/14100ETA	12	100	5	105	19mm A/F	50	201.28
JAB12/14130ETA	12	130	35	105	19mm A/F	25	244.17
JAB12/14150ETA	12	150	55	105	19mm A/F	20	320.98
JAB12/14200ETA	12	200	105	105	19mm A/F	20	425.80
JAB14/16150ETA	14	150	35	125	24mm A/F	10	487.41



ANKERBOLTS

Countersunk Head • Bi-metallic with Carbon Steel tip with leading threads to cut into the concrete.

Stainless Steel
A4/316

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050CSSS	6	50	20	40	15	T40	100	1.49	200.77
JAB06/08075CSSS	6	75	45	40	15	T40	100	2.04	259.20
JAB06/08100CSSS	6	100	70	40	15	T40	100	2.6	323.84



ANKERBOLTS

Hexagon Flange Head • Bi-metallic with Carbon Steel tip with leading threads to cut into the concrete.

Stainless Steel
A4/316

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050SS	6	50	20	40	10mm A/F	100	1.54	208.08
JAB06/08075SS	6	75	45	40	10mm A/F	100	2.08	259.20
JAB06/08100SS	6	100	70	40	10mm A/F	100	2.63	323.48
JAB08/10060SS	8	60	20	55	13mm A/F	100	3.27	364.38
JAB08/10075SS	8	75	35	55	13mm A/F	100	3.87	430.55
JAB08/10100SS	8	100	60	55	13mm A/F	100	4.88	538.37
JAB10/12075SS	10	75	25	70	17mm A/F	50	6.44	591.69
JAB10/12100SS	10	100	50	70	17mm A/F	50	7.96	739.90
JAB10/12150SS	10	150	100	70	17mm A/F	25	11.04	1,112.44
JAB12/14100SS	12	100	40	85	19mm A/F	50	11.53	966.70



ANKERBOLT DROP IN

Min 5µm • A self tapping anchor providing a flush internal thread.

Zinc Plated and
Clear Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread mm	Head Diameter mm	Driver Type	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JABDBM10	13	32	50	M10	N/A	6mm Hex	100	2.20	107.26



ANKERBOLT DROP IN SETTING TOOL

Part Number	Drive Size	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per Each
JABDBM10ST	1/2"	1	6.50	17.67



SOCKET BOLT

Dual Threaded and Single Thread



Part Number	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread	Across Flats mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08SOCKET	6	75	50	M8 + M10	17	50	6.42	173.77
JAB06/08SOCM08	6	55	50	M8	13	100	2.20	78.87
JAB06/08SOCM10	6	55	50	M10	13	100	2.00	79.57

JAB06/08SOCKET



JAB06/08SOCM08

JAB06/08SOCM10



HOOK BOLTS AND EYE BOLTS

Min 5µm

Zinc Plated and
Clear Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max. Fixture Thickness mm	Minimum Hole Depth mm	Eye Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JAB06/08050HOOK	6	90	N/A	40	13	50	2.56	157.19
JAB08/10055HOOK	8	90	N/A	45	13	50	4.96	176.49
JAB06/08050EYE	6	90	N/A	40	13	50	2.80	245.05
JAB08/10055EYE	8	90	N/A	45	15	50	5.50	290.35

Hook Bolt



Eye Bolt



TORX DRIVER BITS

Part Number	Quantity Per Pack	Price £ Per Each
T25	1	2.33
T30	1	2.69
T40	1	2.82
T45	1	3.12
T50	1	3.69



SLEEVE ANCHOR

Hexagon Nut • Min 5µm

A thin walled sleeve anchor suitable for use in most types of non-cracked concrete or masonry.

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLN08040	8	40	5	35	100	1.60	52.18
SLN08065	8	65	30	40	50	2.42	66.65
SLN08085	8	85	45	40	50	3.14	86.71
SLN10050	10	50	5	45	50	3.26	69.80
SLN10075	10	75	30	45	50	4.64	87.15
SLN10100	10	100	55	45	50	6.04	116.19
SLN10125	10	125	80	45	50	6.40	132.79
SLN12060	12	60	15	50	50	6.52	108.26
SLN12075	12	75	20	60	50	6.84	119.30
SLN12100	12	95	50	60	25	8.90	154.38
SLN12125	12	125	65	60	25	10.95	204.53
SLN16065	16	65	10	60	25	14.60	183.14
SLN16110	16	105	50	65	10	15.80	248.45
SLN16150	16	150	90	65	10	20.10	325.49
SLN20080	20	80	15	70	10	21.60	378.53
SLN20110	20	110	45	70	10	27.60	451.53
SLN20150	20	150	85	70	10	36.80	556.96



SLEEVE ANCHOR

Hexagon Bolt • Min 5µm

A thin walled sleeve anchor suitable for use in most types of non-cracked concrete or masonry.

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLB08045	8	45	2	45	100	1.85	57.92
SLB08070	8	70	25	45	50	2.54	69.43
SLB08090	8	90	45	45	50	3.22	93.83
SLB10045	10	45	5	45	50	3.26	77.46
SLB10055	10	55	15	45	50	3.56	80.78
SLB10080	10	80	30	50	50	4.84	86.73
SLB10100	10	100	50	50	50	6.00	118.85
SLB12065	12	65	5	65	50	5.92	120.17
SLB12080	12	80	20	65	50	7.20	131.53
SLB12100	12	100	40	65	25	8.80	162.38
SLB12125	12	125	65	65	25	10.80	191.81
SLB16075	16	75	5	65	25	10.75	199.48
SLB16110	16	110	40	65	10	16.10	278.90



SLEEVE ANCHOR

Countersunk Head • Min 5µm • Phillips No.3 Drive

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLC08060	8	60	30	40	14	100	1.92	97.41
SLC08085	8	85	50	40	14	50	2.79	110.38
SLC10075	10	75	40	45	16	50	3.70	125.86
SLC10100	10	100	60	45	16	50	5.44	151.57

**SLEEVE ANCHOR**

Hexagon Nut • Min 5µm

Stainless Steel
A4/316

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSS06060	6	55	25	35	100	1.26	186.43
SLSS08040	8	40	5	40	100	2.31	200.36
SLSS08065	8	65	30	40	50	2.48	247.66
SLSS10050	10	50	10	45	50	3.28	312.76
SLSS10075	10	75	35	45	50	4.62	404.02
SLSS10100	10	95	55	45	50	5.88	508.34
SLSS12060	12	55	10	50	50	5.81	519.96
SLSS12075	12	65	20	60	50	6.88	584.31
SLSS12100	12	95	50	60	25	9.05	737.05

**SLEEVE ANCHOR**

Countersunk Head Hex Drive

Stainless Steel
Grade A2-304

Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLC08045SS	8	45	8	50	12	100	1.62	217.58
SLC08060SS	8	60	18	60	12	100	1.93	259.38
SLC10060SS	10	60	9	60	16	100	3.15	302.03
SLC10080SS	10	80	19	80	16	100	4.20	386.61
SLC12070SS	12	70	10	75	20	100	5.83	558.46
SLC12100SS	12	100	30	100	20	100	7.66	712.22

**SLEEVE ANCHOR**

Eye Bolt and Hook Bolt • Min 5µm

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Eye Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
Hookbolt-SLZH08040	8	11	45	100	2.47	120.84
Forged Eyebolt - SLZE08040F	8	10	45	20	2.12	123.19

**SLEEVE ANCHOR**

Eye Bolt

Stainless Steel
Grade A2-304

Part Number	Anchor Hole Size mm	Eye Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLZE08045SS	8	10	50	50	2.60	368.70
SLZE10060SS	10	11	65	50	5.00	625.18



DROP IN ANCHORS

Min 5µm • Suitable for use in non-cracked concrete over C20/25.

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DBM06	M6	8	25	25	10	100	0.84	27.06
DBM08	M8	10	30	30	14	100	1.58	36.09
DBM10	M10	12	40	40	15	50	2.40	59.36
DBM12	M12	15	50	50	20	50	5.92	87.32
DBM16	M16	20	65	65	22	25	11.20	191.14
DBM20	M20	25	80	80	30	25	19.00	472.35



LIPPED DROP IN ANCHORS

Min 5µm • Lipped drop in anchors can be accurately set independent of hole depth and can be used in hollow base material application.

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DBM06SH	M6	8	25	25	10	100	0.84	38.03
DBM08SH	M8	10	30	30	14	100	1.58	51.39
DBM10SH	M10	12	30	30	15	50	2.00	58.08
DBM10SHL	M10	12	40	40	15	50	2.40	61.77
DBM12SH	M12	15	50	50	20	50	5.92	125.14
DBM16SH	M16	20	65	65	22	25	11.20	275.98



DROP IN ANCHORS

Min 5µm • A deformation controlled anchor suitable for use in cracked and non-cracked concrete over C20/25.

Zinc Plated and
Clear Passivated



• ETA •
ETAG 00-06

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADBM08	M8	10	30	30	13	100	1.17	50.15
ADBM10	M10	12	40	40	15	50	2.14	82.00
ADBM12	M12	15	50	50	18	50	4.36	130.44
ADBM16	M16	20	65	65	23	25	10.20	257.76



LIPPED DROP IN ANCHORS

Min 5µm • The lipped drop in anchor is approved for redundant fastening for non-structural applications in cracked and non-cracked concrete.

Zinc Plated and
Clear Passivated



• ETA •
ETAG 00-06

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADBM0825SH	M8	10	25	25	12	100	1.05	48.16
ADBM0830SH	M8	10	30	35	13	100	1.15	77.76
ADBM1025SH	M10	12	25	25	12	100	0.80	62.06
ADBM1040SH	M10	12	40	40	15	50	2.20	82.01
ADBM1225SH	M12	15	25	25	12	50	2.30	104.76
ADBM1250SH	M12	15	50	50	18	50	4.30	122.39



DROP IN ANCHORS

Stainless Steel
A4-316



ETA
ETAG 00-06

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
DSSM06	M6	8	30	30	11	200	0.82	279.13
DSSM08	M8	10	30	30	13	100	1.60	325.85
DSSM10	M10	12	40	40	15	50	2.38	453.60
DSSM12	M12	15	50	50	19	50	5.96	670.90
DSSM16	M16	20	65	65	25	25	11.80	1,349.55



LIPPED DROP IN ANCHORS

Stainless Steel
A4-316



ETA
ETAG 00-06

Part Number	Thread Diameter	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ADSSM08SH	M8	10	30	30	13	100	1.15	326.29
ADSSM10SH	M10	12	40	40	15	50	2.20	454.75
ADSSM12SH	M12	15	50	50	18	50	4.30	679.51



DROP IN ANCHOR SETTING PUNCHES

The correct size setting punch must be used to safely install drop in anchors.

Part Number	Thread Diameter mm	Anchor Hole Size mm	Anchor Length mm	Minimum Hole Depth mm	Internal Thread Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
DZSP06	-	-	-	-	-	1	0.10	5.32
DZSP08	-	-	-	-	-	1	0.15	5.56
DZSP10	-	-	-	-	-	1	0.16	5.76
DZSP12	-	-	-	-	-	1	0.22	6.31
DZSP16*	-	-	-	-	-	1	0.41	7.29
DZSP20*	-	-	-	-	-	1	0.55	7.96

* Without hand guard

Datasheets can be found on the JCP website for products within the range.

The data sheets provide detailed information on the following; where applicable.

- Product information
- Load and range data
- Performance data
- Installation instructions
- Features
- Base material guidance
- Related products

www.jcpfixings.co.uk



For technical advice call our Technical Helpline on 020 8943 1800



FORGED HOOK BOLTS

Min 5µm

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Thread Length mm	Hook Diameter mm	Outside Hook Diameter mm	Quantity Per Box	Price £ Per 100
FHM06	6	50	8	22	50	114.05
FHM08	8	60	10	30	50	177.87
FHM10	10	73	12	36	25	282.00
FHM12	12	90	16	47	10	576.24



FORGED EYE BOLTS

Part Number	Thread Diameter mm	Thread Length mm	Eye Diameter mm	Outside Eye Diameter mm	Quantity Per Box	Price £ Per 100
FEM06	6	50	10	19	50	114.05
FEM08	8	60	11	23	50	177.87
FEM10	10	73	14	28	25	282.00
FEM12	12	90	16	34	10	576.24



SCAFFOLD RING BOLTS

Scaffolding ring bolts are used together with M16 drop in anchors or M16 internal threaded sockets for restraining scaffolding.

Part Number	Thread Diameter mm	Thread Length mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per Each	Price £ Per Each
DSRBM16	16	32	53	210	1	0.60	15.03



SCAFFOLD RETAINING EYES

Part Number	Thread Diameter mm	Thread Length mm	Eye Internal Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SRE12120	12	60	24	120	20	17.20	161.01
SRE12160	12	60	24	160	10	20.40	209.47



SCAFFOLD EYE PLUGS

Part Number	Overall Length mm	Anchor Hole Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SRP14100	14	100	115	20	0.90	47.09



HEAVY DUTY ANCHORS

Hexagon Bolt • Min 5µm

A torque controlled heavy duty, hex bolt anchor suitable for use in cracked and non-cracked concrete over C20/25.

Zinc Plated and
Clear Passivated



Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JHD0610	10	75	10	65	50	5.50	234.80
JHD0630	10	95	30	65	50	7.50	251.60
JHD0650	10	115	50	65	50	8.30	285.14
JHD0810	12	87	10	80	50	9.90	248.35
JHD0830	12	107	30	80	50	10.50	285.14
JHD0850	12	127	50	80	25	11.70	318.72
JHD1015	15	108	15	95	25	12.50	348.06
JHD1025	15	118	25	95	25	15.50	377.42
JHD1045	15	138	45	95	25	18.00	429.02
JHD1210	18	117	10	105	20	21.50	561.71
JHD1220	18	127	20	105	20	24.50	612.19
JHD1240	18	147	40	105	20	29.50	689.04
JHD1270	18	177	70	105	20	30.50	751.76
JHD1610	24	132	10	130	10	45.50	1,102.62
JHD1620	24	152	20	130	10	52.50	1,185.02
JHD1650	24	182	50	130	10	58.50	1,333.16
JHD2030	28	192	30	160	10	93.33	2,242.62
JHD2060	28	222	60	160	5	107.50	2,460.15



HEAVY DUTY ANCHORS

Stud and Nut • Min 5µm

A torque controlled heavy duty, hex nut anchor suitable for use in cracked and non-cracked concrete over C20/25.

Zinc Plated and
Clear Passivated



Part Number	Anchor Hole Size mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
NHD0810	12	90	10	80	50	6.60	263.19
NHD0830	12	110	30	80	50	8.00	300.03
NHD0850	12	130	50	80	25	10.00	330.24
NHD1015	15	111	15	95	25	12.80	362.61
NHD1025	15	121	25	95	25	14.00	393.74
NHD1045	15	141	45	95	25	16.00	449.71
NHD1210	18	122	10	105	20	20.50	594.11
NHD1220	18	132	20	105	20	22.00	644.77
NHD1240	18	152	40	105	20	25.50	717.85
NHD1270	18	182	70	105	20	30.50	804.97
NHD1620	24	157	20	130	10	47.00	1,258.50
NHD1650	24	187	50	130	10	55.00	1,402.80



HEAVY DUTY ANCHORS

Countersunk • Min 5µm

A torque controlled heavy duty anchor with a countersunk hex head drive suitable for use in cracked and non-cracked concrete over C20/25.

Zinc Plated and
Clear Passivated



Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLSK10/10	10	6	70	10	65	16.5	50	3.70	359.80
SLSK10/25	10	6	85	25	65	16.5	50	4.50	372.18
SLSK10/45	10	6	100	40	65	16.5	50	6.20	391.97
SLSK12/10	12	8	80	10	80	20.5	50	6.40	420.73
SLSK12/25	12	8	95	25	80	20.5	50	7.70	460.19
SLSK12/50	12	8	120	50	80	20.5	25	9.60	489.95
SLSK15/10	15	10	100	10	95	24.5	25	11.00	567.72
SLSK15/25	15	10	110	25	95	24.5	25	12.60	598.74
SLSK15/50	15	10	135	50	95	24.5	25	15.60	658.76
SLSK18/20	18	12	115	20	105	29.5	20	21.00	921.75
SLSK18/40	18	12	135	40	105	29.5	20	25.00	1,019.56



HEAVY DUTY ANCHORS

Stud and Nut • Min 5µm

A torque controlled heavy duty, stainless steel, hex nut anchor suitable for use in cracked and non-cracked concrete over C20/25.

Stainless Steel
A4-316



Part Number	Anchor Hole Size mm	Thread Diameter mm	Anchor Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
SLB12/10SS	12	8	89	10	80	50	6.40	1,065.23
SLB12/30SS	12	8	109	30	80	50	7.70	1,269.81
SLB14/15SS	15	10	110	15	95	25	11.00	1,550.92
SLB14/25SS	15	10	120	25	95	25	12.60	1,647.78
SLB18/20SS	18	12	131	20	105	20	23.00	2,714.10
SLB18/40SS	18	12	151	40	105	20	25.00	2,829.45



The JCP Anchor Calculation Program is free to download via
www.jcpfixings.co.uk/anchor-calculator-tool

**BLIND BOLTS****NEW! AVAILABLE NOW**

The Blind Bolt is a constructional cavity fixing suitable for fixing to steel sections where access is available from one side only.

Geomet
500-1000

BLINDBOLT

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BB08050ZF	9	M8	50	9	24	50	2.00	2.94
BB10060ZF	11	M10	60	10	30	40	4.00	3.26
BB10095ZF	11	M10	95	25	65	20	7.00	4.95
BB10130ZF	11	M10	130	55	100	20	9.00	5.15
BB12070ZF	13	M12	70	12	35	20	8.00	4.30
BB12120ZF	13	M12	120	30	85	25	11.00	6.21
BB12180ZF	13	M12	180	80	140	20	17.00	7.21
BB14075ZF	15	M14	75	14	35	25	10.00	6.74
BB14125ZF	15	M14	125	28	82	20	15.00	8.77
BB14185ZF	15	M14	185	75	142	15	19.00	13.00
BB16090ZF	17	M16	90	13	43	20	17.00	7.83
BB16130ZF	17	M16	130	40	75	15	21.00	10.81
BB16180ZF	17	M16	180	55	125	10	29.00	14.08
BB20110ZF	22	M20	110	21	56	10	33.00	14.85
BB20140ZF	22	M20	140	21	86	8	40.00	16.13
BB20180ZF	22	M20	180	80	120	10	45.00	17.91
BB20250ZF	22	M20	250	130	185	10	60.00	22.70
BB24130ZF	26	M24	130	21	66	5	52.00	22.57
BB30140ZF	26	M24	140	27	60	5	94.00	33.51

**BLIND BOLTS****NEW! AVAILABLE NOW**

Zinc and Yellow
Grade 10.90

BLINDBOLT

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BB08050ZY	9	M8	50	9	24	50	2.00	2.62

**BLIND BOLTS****NEW! AVAILABLE NOW**

Stainless
Steel A4

BLINDBOLT

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BB08050A4	9	M8	50	9	24	50	2.00	7.89
BB10060A4	11	M10	60	10	30	40	4.00	10.55
BB12090A4	13	M12	90	12	55	20	9.00	12.34
BB16100A4	17	M16	100	13	53	20	18.00	20.96



HEAVY DUTY BLIND BOLTS

A shorter blind fixing with improved performance.

NEW! AVAILABLE NOW

Geomet 500

BLINDBOLT

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBHD0845ZF	8	M8	45	7	25	50	2.00	2.98
BBHD1045ZF	10	M10	45	7	25	40	4.00	3.28
BBHD1060ZF	10	M10	60	7	40	40	4.00	3.36
BBHD1245ZF	12	M12	45	8	22	20	7.00	3.68
BBHD1260ZF	12	M12	60	8	37	20	7.00	3.89
BBHD1275ZF	12	M12	75	8	52	20	11.00	5.60
BBHD1660ZF	16	M16	60	12	30	20	13.00	8.15
BBHD1675ZF	16	M16	75	12	45	20	15.00	8.34
BBHD2070ZF	20	M20	70	15	32	10	23.00	14.11
BBHD2085ZF	20	M20	85	15	47	10	28.00	14.89



HEAVY DUTY BLIND BOLTS

NEW! AVAILABLE NOW

Stainless Steel A4

BLINDBOLT

Part Number	Hole Diameter mm	Bolt Size	Length mm	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBHD0845A4	8	M8	45	7	25	50	2.00	5.81
BBHD1045A4	10	M10	45	7	25	40	4.00	6.89
BBHD1060A4	10	M10	60	7	40	40	4.00	8.32
BBHD1245A4	12	M12	45	8	22	20	7.00	8.42
BBHD1260A4	12	M12	60	8	37	20	7.00	10.53
BBHD1660A4	16	M16	60	12	30	20	13.00	18.51
BBHD2070A4	20	M20	70	15	32	10	23.00	25.28



BLIND BOLTS

Thin Wall Bolt

For blind fixing to lightweight sheet steel or cladding material.

NEW! AVAILABLE NOW

Zinc Flake

BLINDBOLT

Part Number	Hole Diameter mm	Depth Clearance	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBTW0810ZN	8	35	2	10	100	1.50	3.79
BBTW0816ZN	8	40	8	16	100	1.65	4.77
BBTW1010ZN	10	35	2	10	50	1.30	4.91
BBTW1016ZN	10	40	8	16	50	1.40	6.00
BBTW1310ZN	13	45	2	10	50	2.50	10.30
BBTW1316ZN	13	50	8	16	50	2.80	11.98



BLIND BOLTS

Thin Wall Bolt

NEW! AVAILABLE NOW

Stainless Steel
Grade A2-304

BLINDBOLT

Part Number	Hole Diameter mm	Depth Clearance	Min Fixture Thickness mm	Max Fixture Thickness mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per Each
BBTW0810SS	8	35	2	10	100	1.50	6.21
BBTW0816SS	8	40	8	16	100	1.65	7.17
BBTW1010SS	10	35	2	10	50	1.62	8.04
BBTW1016SS	10	40	8	16	50	1.86	9.91
BBTW1310SS	13	45	2	10	50	1.58	14.98
BBTW1316SS	13	50	8	16	50	1.71	18.21

OUT OF SIGHT... THE INGENIOUS BLINDBOLT

The simple yet ingenious solution to blind fixing applications.

Ideal for a multitude of projects throughout the construction industry.

THE MAIN ADVANTAGES OF USING THE BLIND BOLT ARE:

- Blind Bolt is the only truly removable blind fixing available for structural connections.
- Cost saving benefits.
- Does not require an oversized hole, just a standard clearance hole.
- Design resistances are available to BS 5950 and the Eurocodes.
- Patented design.

THE MAIN ADVANTAGES OF USING THE HEAVY DUTY BLIND BOLT ARE:

- Patented locking pin.
- Higher tensile strength than the Blind Bolt.
- Very fast installation time.
- No special tools required.

THE MAIN ADVANTAGES OF USING THE THIN WALL BLIND BOLT ARE:

- Ideal for fixing into lightweight steel sheet or cladding material.
- Quick and easy to install, offering increased assembly efficiency.
- After installation, it leaves a neat, low profile head, with no protruding stud.
- Offers a strong shear capacity.

APPLICATIONS

- Hollow Sections
- Girders & Beams
- Masonry Support Systems
- Cladding & Facades
- Marine





SHIELD ANCHORS

Loose Bolt • Min 5µm

A torque controlled anchor for use in concrete and solid brickwork.

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Length Under Head mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ALB0610	6	12	10	55	50	50	2.36	121.92
ALB0625	6	12	25	70	50	50	2.80	148.36
ALB0640	6	12	40	85	50	50	3.20	152.68
ALB0810	8	14	10	60	55	50	5.78	167.06
ALB0825	8	14	25	75	55	50	6.20	183.21
ALB0840	8	14	40	90	55	50	6.46	208.08
ALB1010	10	16	10	70	65	50	9.44	242.04
ALB1025	10	16	25	85	65	50	9.96	286.10
ALB1050	10	16	50	110	65	50	11.14	312.13
ALB1075	10	16	75	135	65	25	12.90	341.62
ALB1210	12	20	10	85	85	25	17.84	382.25
ALB1225	12	20	25	100	85	25	18.40	451.26
ALB1240	12	20	40	115	85	25	19.16	504.38
ALB1260	12	20	60	135	85	25	21.28	549.63
ALB1615	16	25	15	135	125	10	36.30	1,022.64
ALB1630	16	25	30	150	125	10	36.60	1,093.08
ALB1660	16	25	60	180	125	10	42.40	1,313.51



SHIELD ANCHORS

Projecting Bolt • Min 5µm

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Overall Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
APB0610	6	12	10	60	50	50	2.58	118.74
APB0625	6	12	25	75	50	50	2.90	129.67
APB0650	6	12	50	100	50	50	3.34	150.45
APB0815	8	14	15	75	55	50	6.38	171.55
APB0840	8	14	40	100	55	50	7.22	195.11
APB0880	8	14	80	140	55	25	8.56	202.52
APB1010	10	16	10	80	65	50	9.90	238.20
APB1030	10	16	30	100	65	50	10.80	257.01
APB1050	10	16	50	120	65	25	12.00	275.32
APB1070	10	16	70	140	65	25	13.40	312.01
APB1215	12	20	15	100	85	25	19.80	408.17
APB1225	12	20	25	110	85	25	20.40	450.28
APB1250	12	20	50	135	85	10	22.24	476.47
APB1270	12	20	70	155	85	10	23.90	513.33
APB1635	16	25	35	160	125	10	40.40	887.11



SHIELD ANCHORS

Shield Only • Min 5µm

A torque controlled shield anchor suitable for use in non cracked concrete and solid brickwork.

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Shield Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
ASHOM06	6	12	-	45	50	50	1.18	98.65
ASHOM08	8	14	-	50	55	50	3.20	128.17
ASHOM10	10	16	-	60	65	50	4.40	189.34
ASHOM12	12	20	-	75	85	25	9.16	318.91
ASHOM16	16	25	-	110	125	10	17.10	622.00



SHIELD ANCHORS

Shield Only • Min 5µm

Stainless
Steel A4-316

Part Number	Thread Diameter mm	Shield Hole Size mm	Max Fixture Thickness mm	Shield Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.Kg Per 100	Price £ Per 100
PSM06SS	6	12	-	45	50	25	1.18	355.81
PSM08SS	8	14	-	50	55	25	3.20	459.70
PSM10SS	10	16	-	60	65	25	4.40	710.23
PSM12SS	12	20	-	75	85	10	9.16	990.19



SHIELD ANCHORS

Eye Bolts • Min 5µm

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter	Shield Hole Size mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
AEBM06	M6	12	10	80	25	7.96	199.87
AEBM08	M8	14	11	95	25	8.52	263.37
AEBM10	M10	16	14	115	10	15.62	357.38
AEBM12	M12	20	16	130	10	27.64	682.13



SHIELD ANCHORS

Hook Bolts • Min 5µm

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter	Shield Hole Size mm	Eye Diameter mm	Overall Length mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
AHBM06	M6	12	8	80	25	7.60	199.87
AHBM08	M8	14	10	95	25	8.20	263.37
AHBM10	M10	16	12	115	10	14.50	357.38
AHBM12	M12	20	16	145	10	26.90	682.13



CONCRETE SCREWS

Includes White Cover Cap • Countersunk Head • Min 5µm

Suitable for use in non-cracked concrete, concrete blocks and masonry.

A T30 drive bit supplied in each box of countersunk only.

Zinc Plated and
Yellow Passivated

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75040	6	40	-	45	100	1.00	277.90
CS75060	6	60	20	45	100	1.45	311.80
CS75080	6	80	40	45	100	1.72	396.20
CS75100	6	100	60	45	100	2.53	435.80
CS75120	6	120	80	45	100	2.93	582.20
CS75150	6	150	110	45	100	3.16	695.00
CS75180	6	180	140	45	100	3.78	1,247.30



CONCRETE SCREWS

No Cover Caps • No Torx Bits

Zinc Plated and
Yellow Passivated

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75040A	6	40	-	45	100	1.00	229.80
CS75060A	6	60	20	45	100	1.45	262.80
CS75080A	6	80	40	45	100	1.72	344.70
CS75100A	6	100	60	45	100	2.53	383.10
CS75120A	6	120	80	45	100	2.93	525.20
CS75150A	6	150	110	45	100	3.16	634.70
CS75180A	6	180	140	45	100	3.78	1,171.00



CONCRETE SCREW COVER CAPS

Part Number	Colour	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CSCAPWH	White Cover Caps	100	0.01	40.20
CSCAPBR	Brown Cover Caps	100	0.01	40.20



CONCRETE SCREWS

Cylindrical Head • Hex Head Drive • 4mm A/F

Zinc Plated and
Yellow Passivated

Part Number	Drill Diameter mm	Screw Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 1000
CS75060CH	6	60	20	45	100	1.28	291.50
CS75080CH	6	80	40	45	100	1.69	386.60
CS75100CH	6	100	60	45	100	2.10	459.80
CS75120CH	6	120	80	45	100	2.50	593.60
CS75150CH	6	150	110	45	100	3.10	892.20
CS75180CH	6	180	140	45	100	3.70	1,231.30
CS75210CH	6	210	170	45	100	4.31	1,787.40



NAIL IN ANCHORS

Suitable for use in non cracked concrete, masonry and some natural stone.

Metal

Part Number	Anchor Hole Size mm	Total Anchor Length mm	Max.Fixture Thickness mm	Flange Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MDA06040	6	40	5	15	100	1.40	43.02
MDA06065	6	65	30	15	100	1.60	52.58



NAIL IN ANCHORS

Alloy

LANI06030	6	30	10	13	100	0.85	38.24
LANI06040	6	40	20	13	100	1.10	39.60
LANI06050	6	50	30	13	100	1.24	51.89



NAIL IN ANCHORS

Steel

MNI06030	6	30	10	13	100	0.85	38.24
MNI06040	6	40	20	13	100	1.10	40.29
MNI06050	6	50	30	13	100	1.24	53.94



MASONRY NAILS

Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LIGHT SHANK					
AMNL025	25	2.5	100	0.11	3.47
AMNL030	30	2.5	100	0.13	3.67
AMNL040	40	2.5	100	0.18	4.34
AMNL050	50	2.5	100	0.20	4.91
AMNL060	60	2.5	100	0.24	5.52
MEDIUM SHANK					
AMNM025	25	3.0	100	0.15	4.23
AMNM030	30	3.0	100	0.17	4.42
AMNM040	40	3.0	100	0.25	5.08
AMNM050	50	3.0	100	0.29	5.83
AMNM060	60	3.0	100	0.37	6.58
HEAVY SHANK					
AMNH050	50	3.5	100	0.40	8.32
AMNH060	60	3.5	100	0.51	9.50
AMNH075	75	3.5	100	0.58	10.58
AMNH090	90	3.5	100	0.65	12.61
AMNH100	100	3.5	100	0.81	13.35



MASONRY NAILS

with 8mm diameter washer

Part Number	Length	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
AMNL025MP	25	2.5	200	0.13	9.39
AMNL030MP	30	2.5	200	0.15	10.23



GROOVED NAILS

with washer

A hardened steel nail with washer and a grooved shank.

Suitable for fixings roofing and insulation plates, plastic sheets and wire mesh.

NEW! AVAILABLE NOW

Part Number	Shank Length mm	Shank Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
IMW030	30	3.5	100	0.49	22.95
IMW040	40	3.5	100	0.51	23.80
IMW050	50	3.5	100	0.52	25.25



PLASTIC HEADED NAILS

An A4/316 stainless steel nail, ring shanked with HDPE impact resistant poly head.

UV Factor 5 stabilised. Available with white or black heads.

Part Number	Shank Length mm	Shank Diameter mm	Head Colour	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
POLY030WH	30	2.00	White	250	0.22	8.52
POLY040WH	40	2.00	White	250	0.29	9.74
POLY050WH	50	2.65	White	100	0.25	18.32
POLY065WH	65	3.35	White	100	0.48	27.57
POLY030BL	30	2.00	Black	250	0.22	9.01
POLY040BL	40	2.00	Black	250	0.29	10.23
POLY050BL	50	2.65	Black	100	0.25	19.54
POLY065BL	65	3.35	Black	100	0.48	28.49



BASIN FIXING

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Individual Quantity Per Box	Ship Wt. Kg Per 100	Individual Price £ Per 100	Price £ Per Bag of 2
NBFS10140	M10 x 140	14 x 70	14	10	19.00	144.28	2.89



W.C. FIXING

Part Number	Screw Size mm	Plug Size mm	Anchor Hole Diameter	Individual Quantity Per Box	Ship Wt. Kg Per 100	Individual Price £ Per 100	Price £ Per Bag of 2
NWCW06070	6.0 x 70	8 x 40	8	50	3.40	95.54	1.91 (White)
NWCC06070	6.0 x 70	8 x 40	8	50	3.40	95.54	1.91 (Chrome)

VERTICAL FLANGE CLIP

A high strength clip for fixing suspended wire to steel profiles.

Part Number	Size mm	Min Purlin Gauge mm	Max Purlin Gauge mm	Height mm	Width mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
VFC1	20 x 42	1.60	2.50	42.00	20.00	100	0.82	16.17



ANGLE BRACKET

A mild steel angle bracket for a variety of applications.

Part Number	Size mm	Width mm	Hole Diameter mm	Thickness mm	Quantity Per Box	Ship Wt. Kg per 100	Price £ Per 100
AB2020	20 x 20	17.00	4.70	1.20	100	0.51	7.52



WALL SCREWS

Countersunk Head • A carbon steel fixing for use in non cracked concrete and masonry base materials.

NEW! AVAILABLE NOW

Part Number	Drill Hole Diameter mm	Thread Diameter mm	Shank Length mm	Head Thickness mm	Head Colour	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
WS5032CSZ	5	6	32	4	Bright Zinc Plated	100	0.38	10.95
WS5038CSZ	5	6	38	4	Bright Zinc Plated	100	0.44	11.50
WS5050CSZ	5	6	50	4	Bright Zinc Plated	100	0.56	11.95
WS5032CSW	5	6	32	4	White	100	0.38	11.95
WS5038CSW	5	6	38	4	White	100	0.44	12.50
WS5050CSW	5	6	50	4	White	100	0.56	12.95



WALL SCREWS

Pan Head • A carbon steel fixing for use in non cracked concrete and masonry base materials.

NEW! AVAILABLE NOW

Part Number	Drill Hole Diameter mm	Thread Diameter mm	Shank Length mm	Head Thickness mm	Head Colour	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
WS5032PHZ	5	6	32	3	Bright Zinc Plated	100	0.38	10.95
WS5038PHZ	5	6	38	3	Bright Zinc Plated	100	0.44	11.50
WS5050PHZ	5	6	50	3	Bright Zinc Plated	100	0.56	11.95
WS5032PHW	5	6	32	3	White	100	0.38	11.95
WS5038PHW	5	6	38	3	White	100	0.44	12.50
WS5050PHW	5	6	50	3	White	100	0.56	12.95



BIGTWIST NAIL

Min 5µm • A 20mm headed twist nail for fixing composite panels to wooden battens.

Zinc Plated and
Clear Passivated

Part Number	Shank Diameter mm	Anchor Length mm	Rec.Tensile Load Kn	Max Fixture Thickness mm	Quantity Per Bag/Box	Ship Wt. Kg Per 100	Price £ Per 100
TC08090BG	8	90	0.22	55	25 bag	1.40	44.76
TC08135BG	8	135	0.22	100	25 bag	2.14	56.32
TC08165BG	8	165	0.22	130	25 bag	2.30	61.93
TC08195BG	8	195	0.22	160	25 bag	2.80	72.33
TC08220BG	8	220	0.22	185	25 bag	3.00	82.94
TC08090BX	8	90	0.22	55	500 box	1.40	43.78
TC08135BX	8	135	0.22	100	500 box	2.14	51.26
TC08165BX	8	165	0.22	130	500 box	2.30	56.30
TC08195BX	8	195	0.22	160	300 box	2.80	65.54
TC08220BX	8	220	0.22	185	300 box	3.00	75.96

FIXING BAND

A fixing band for general strapping needs in both straight and round formats.
Supplied in rigid plastic dispensers for ease of use.



ROUND PERFORATED

Galvanised

Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBR1012G	10	12	0.80	1	0.48	4.07
FBR1017G	10	17	0.80	1	0.72	5.10



STRAIGHT PERFORATED

Galvanised

Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBS1012G	10	12	0.80	1	0.48	5.10
FBS1019G	10	19	0.80	1	1.10	7.16



ROUND PERFORATED

Stainless Steel A2

Part Number	Length Metres	Width mm	Thickness mm	Quantity	Ship Wt.kg	Price £ Per Each
FBR1017SS	10	17	0.80	1	0.72	12.10



PURE EPOXY

Pure Epoxy resin is a 3:1 ratio resin with very high load capacities. The colour of the resin is red. Approved for use in contact with potable (drinking) water.




Approval No: 1506530

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF375E	Pure Epoxy Resin in Cartridge + 1 Mixer Nozzle	375ml	1/10	0.75	30.95
JF300E	Pure Epoxy Resin in Cartridge + 1 Mixer Nozzle	300ml	1/12	0.70	23.99



VINYLESTER

Pure Vinylester Resin Styrene Free is suitable for use in concrete, brickwork and most natural stone. Approved for use in contact with potable (drinking) water.



Approval No: 1604527

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFV380SF	Vinylester High Load Resin in Cartridge + 1 Mixer Nozzle	410ml	1/12	0.79	27.57
JFV300SF	Vinylester High Load Resin in Cartridge + 1 Mixer Nozzle	300ml	1/12	0.70	20.87



EPOXY ACRYLATE

Epoxy Acrylate Resin Styrene Free is suitable for use in non-cracked concrete, other base materials and in damp conditions.




Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFEA380SF	Grey Styrene Free Epoxy Acrylate + 1 Mixer Nozzle	410ml	1/12	0.79	24.48



VINYLESTER FAST CURE WINTER GRADE

Winter Grade Vinylester Styrene Free Resin can be used in temperatures down to -10°C or as a fast cure resin in warmer temperatures.



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JFEA410SF	Winter Grade Resin Styrene Free Vinylester + 1 Mixer Nozzle	410ml	1/12	0.79	27.57



POLYESTER STYRENE FREE

Polyester Styrene Free Resin is a general purpose resin suitable for brickwork, most natural stone and concrete.



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF380PSF	Grey Styrene Free Polyester + 1 Mixer Nozzle	410ml	1/12	0.79	23.07
JFEA300SF	Grey Styrene Free Polyester + 1 Mixer Nozzle	300ml	1/12	0.69	21.28
JF150P	Grey Styrene Free Polyester + 2 Mixer Nozzle	150ml	1/12	0.42	17.72



POLYESTER

Polyester Resin is a general purpose resin suitable for brickwork, most natural stone and concrete.



Part Number	Description	Volume	Quantity Unit/Box	Ship Wt.Kg Each	Price £ Each
JF380P	Grey Polyester Resin in Cartridge + 1 Mixer Nozzle	410ml	1/12	0.79	22.40



RESIN FIXING PER CARTRIDGE

Thread Diameter mm	Hole Size mm	Hole Depth mm	410ml	375ml	300ml	150ml
M8	10	80	78	71	57	25
M10	12	90	52	48	38	17
M12	14	110	34	31	25	11
M16	18	125	22	20	16	7
M20	22	170	11	10	8	3
M24	26	210	7	6	5	2

ROCKITE (INTERIOR GRADE)

Rockite is a fast setting hydraulic type cement product.

When mixed with water it provides a compound that can be used for grouting, anchoring or patching.

1kg (2.2lb) dry powder weight fills approximately 700 cubic centimeters.

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
57 9020	0.45kg (1lb) Cartons	1	0.45	7.31
57 9002	2.27kg (5lb) Carton	1	2.27	18.73
57 9003	4.54kg (10lb) Pail	1	4.54	35.77
57 9004	22.7kg (50lb) Carton	1	22.70	130.03
57 9005	22.7kg (50lb) Pail	1	22.70	136.63



KWIXSET (EXTERIOR GRADE)

Part Number	Description	Quantity	Ship Wt. Kg Each	Price £ Each
57 9011	11.35kg (25lb) Pail	1	11.35	82.51
57 9012	22.7kg (50lb) Pail	1	22.70	158.86



Caution: Rockite and Kwixset have very strong expansion properties which generate the high tensile loads that can be achieved and as such their use in hollow bricks or blocks is not recommended.

GLASS CAPSULES

J-Fix Spin in Capsules • Epoxy Acrylate • Quartz • Improved Loads



Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Hole Diameter mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JCAPSM08	-	80	-	10	80	10	1.20	211.14
JCAPSM10	-	80	-	12	90	10	1.30	224.20
JCAPSM12	-	95	-	14	110	10	2.40	246.97
JCAPSM16	-	95	-	18	125	10	3.30	342.26
JCAPSM20	-	160	-	22	170	10	10.90	492.60
JCAPSM24	-	175	-	26	210	10	14.10	621.26
JCAPSM30	-	230	-	32	280	5	28.20	1,126.01



GLASS CAPSULES

J-Fix Hammer in Capsules • Epoxy Acrylate • For use with rebar or flat ended studs.

Part Number	Rebar Nominal Diameter mm	Thread Diameter mm	Capsule Diameter mm	Capsule Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JCAPHM10	10	10	11	90	100	10	1.30	243.34
JCAPHM12	12	12	13	110	110	10	2.40	278.69
JCAPHM16	16	16	17	125	125	10	3.30	375.61
JCAPHM20	20	20	22	175	200	6	10.90	559.17
JCAPHM24	25	24	24	210	250	6	14.10	698.96
JCAPHM30	32	30	33	265	300	6	28.20	1,260.17





J-FIX STUDS

Setting Tool Included • Grade 5.8 Threaded Stud • Min 5µm.

Zinc Plated and
Clear Passivated



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110	8	110	18	80	10	4.30	117.14
JSTUD10130	10	130	25	90	10	7.75	138.46
JSTUD12160	12	160	34	110	10	13.30	181.87
JSTUD16190	16	190	45	125	10	28.50	307.51
JSTUD20260	20	260	55	170	10	62.00	708.11
JSTUD24300	24	300	55	210	5	102.00	1,172.37
JSTUD30380	30	380	55	280	5	164.00	3,300.78



J-FIX STUDS

Plain Ended • Grade 5.8 Threaded Stud • Min 5µm • For use with injection resin.

Zinc Plated and
Clear Passivated



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08150PE	8	150	80	60	10	4.00	111.91
JSTUD10105PE	10	105	35	60	10	7.20	127.88
JSTUD10150PE	10	150	80	60	10	7.70	131.86
JSTUD10200PE	10	200	130	60	10	11.10	137.92
JSTUD12110PE	12	110	25	70	10	9.90	119.55
JSTUD12150PE	12	150	65	70	10	12.70	169.29
JSTUD12200PE	12	200	115	70	10	16.20	201.66
JSTUD16110PE	16	110	10	80	10	18.50	263.28
JSTUD16250PE	16	250	150	80	10	36.70	456.19
JSTUD16350PE	16	350	250	80	10	49.70	497.44
JSTUD20200PE	20	200	85	90	10	48.40	543.68
JSTUD20400PE	20	400	285	90	10	89.20	733.66



J-FIX STUDS

Setting Tool Included • High Tensile Grade 8.8 Threaded Stud • Min 5µm.

Zinc Plated and
Yellow Passivated



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110HT	8	110	18	80	10	4.30	127.01
JSTUD10130HT	10	130	25	90	10	7.75	153.50
JSTUD12160HT	12	160	34	110	10	13.30	200.10
JSTUD16190HT	16	190	45	125	10	28.50	355.43
JSTUD20260HT	20	260	55	170	10	62.00	770.50
JSTUD24300HT	24	300	55	210	5	102.00	1,303.54
JSTUD30380HT	30	380	55	280	5	164.00	3,670.24



J-FIX STUDS

Setting Tool Included • EN1461 • Grade 5.8 Threaded Stud

Hot Dipped
Galvanised



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110G	8	110	18	80	10	4.40	238.43
JSTUD10130G	10	130	25	90	10	7.90	302.39
JSTUD12160G	12	160	34	110	10	13.50	359.82
JSTUD16190G	16	190	45	125	10	29.00	545.43
JSTUD20260G	20	260	55	170	5	63.40	1,108.08
JSTUD24300G	24	300	55	210	5	104.20	1,713.86



J-FIX STUDS

Setting Tool Included • Grade 70 Stainless Steel Threaded Stud

Stainless Steel
Grade A2/304



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110SS	8	110	18	80	10	4.32	309.27
JSTUD10130SS	10	130	25	90	10	7.77	449.68
JSTUD12160SS	12	160	34	110	10	13.30	649.31
JSTUD16190SS	16	190	45	125	10	28.50	1,183.66
JSTUD20260SS	20	260	55	170	5	62.00	2,385.73
JSTUD24300SS	24	300	55	210	5	102.00	3,293.92



J-FIX STUDS

Setting Tool Included • Grade 70 Stainless Steel Threaded Stud

Stainless Steel
Grade A4/316



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08110SSA4	8	110	18	80	10	4.32	352.03
JSTUD10130SSA4	10	130	25	90	10	7.77	539.06
JSTUD12160SSA4	12	160	34	110	10	13.30	836.09
JSTUD16190SSA4	16	190	45	125	10	28.50	1,584.17
JSTUD20260SSA4	20	260	55	170	5	62.00	2,860.32
JSTUD24300SSA4	24	300	55	210	5	102.00	4,649.26



J-FIX STUDS

Plain Ended • Grade 70 Stainless Steel Threaded Stud

Stainless Steel
Grade A4/316



ETA relates to
Chemical
Fixing type
used

Part Number	Thread Diameter mm	Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
JSTUD08150PESS	8	150	80	60	10	4.00	273.93
JSTUD10105PESS	10	105	35	60	10	7.20	331.15
JSTUD10150PESS	10	150	80	60	10	7.70	433.78
JSTUD10200PESS	10	200	130	60	10	11.10	533.19
JSTUD12110PESS	12	110	25	70	10	9.90	489.98
JSTUD12150PESS	12	150	65	70	10	12.70	611.96
JSTUD12200PESS	12	200	115	70	10	16.20	752.67
JSTUD16110PESS	16	110	10	80	10	18.50	876.22
JSTUD16250PESS	16	250	150	80	10	36.70	1,643.73
JSTUD16350PESS	16	350	250	80	10	49.70	2,114.52
JSTUD20200PESS	20	200	85	90	10	48.40	2,116.27
JSTUD20400PESS	20	400	285	90	10	89.20	3,289.76



INJECTION RESIN INTERNALLY THREADED SOCKETS

Min 5µm

Zinc Plated and
Clear Passivated

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
INJM06	6	20	8	10	50	60	10	1.20	166.08
INJM08	8	25	12	14	80	90	10	4.20	195.77
INJM10	10	30	14	16	80	90	10	4.60	235.13
INJM12	12	30	16	18	80	90	10	5.40	340.02



INTERNAL THREADED SOCKETS

Min 5µm • A permanent threaded socket for use with spin in glass capsules or injection resin.

Zinc Plated and
Clear Passivated

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08BZP	8	30	12	14	90	90	10	4.00	271.07
ITSM10BZP	10	35	16	18	90	90	10	7.00	334.14
ITSM12BZP	12	40	20	25	90	90	10	16.00	465.29
ITSM16BZP	16	40	24	28	125	125	10	29.00	959.82



INTERNAL THREADED SOCKETS

Stainless Steel
Grade A2-304

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08SS	8	30	12	14	90	90	10	4.00	610.48
ITSM10SS	10	35	16	18	90	90	10	7.00	869.44
ITSM12SS	12	40	20	25	90	90	10	16.00	1,197.06
ITSM16SS	16	40	24	28	125	125	10	29.00	2,348.39



INTERNAL THREADED SOCKETS

Stainless Steel
Grade A4-316

Part Number	Internal Thread Diameter mm	Internal Thread Length mm	Outside Diameter mm	Hole Diameter mm	Anchor Length mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt.kg Per 100	Price £ Per 100
ITSM08SSA4	8	30	12	14	90	90	10	4.00	816.21
ITSM10SSA4	10	35	16	18	90	90	10	7.00	1098.53
ITSM12SSA4	12	40	20	25	90	90	10	16.00	1,602.14
ITSM16SSA4	16	40	24	28	125	125	10	29.00	3,100.52

INJECTION TOOLS


Part Number	Description	Ship Wt. Kg Each	Price £ Each
JTOOL380	For any 410ml Cartridge	1.30	44.19
JTOOL300	For any 150ml & 300ml Cartridge	1.00	24.36
JTOOL150	For any 150ml & 300ml Cartridge	0.60	5.65
JTOOL375	For JF375E 375ml Cartridge	1.40	53.82



JTOOL380



JTOOL300



JTOOL150



JTOOL375

INJECTION TOOL ACCESSORIES

Part Number	Description	Ship Wt. Kg Each	Price £ Each
JMN130	Mixer Nozzle	1.00	1.63
JMN190	Extension Tube for JMN130	1.00	1.35
JMN150E	Mixer Nozzle for JF375E Pure Epoxy	1.00	1..81



NYLON SLEEVE WITH STUD ALIGNMENT COLLAR

For use with injection resin in hollow bricks and blocks.



Part Number	Hole Diameter mm	Sleeve Size mm	For Stud Size	Quantity Per Bag	Ship Wt. Kg Box	Price £ Per 100
JNSLM08/12	16	15 x 85	M08-M12	10	0.18	44.53
JNSLM08/12L	16	15 x 130	M08-M12	10	0.18	48.95
JNSLM16	22	20 x 85	M16	10	0.18	51.32

WIRE MESH SLEEVE

For use with injection resin. Can be cut on site to required length.



Part Number	Hole Diameter mm	Inside Diameter	For Stud Size	Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
JMMSM08	12	8.7	M8	1000	1	6.00	12.45
JMMSM10/12	16	12.5	M10-M12	1000	1	8.00	13.36
JMMSM16	22	18.0	M16	1000	1	10.00	15.33
JMMSM20	26	22.0	M20	1000	1	12.00	16.47

CLEANING BRUSHES

Part Number	Hole Diameter mm	Pack Quantity	Price £ Each
CB08	8	1	4.50
CB10	10	1	4.72
CB12	12	1	4.95
CB16	16	1	5.41
CB20	20	1	5.97
CB25	25	1	7.36
CBW30	30	1	9.96
CBFW25	FLAT	1	11.38



BLOW OUT PUMP

Part Number	Hole Diameter mm	Pack Quantity	Price £ Each
BOP1	10+	1	20.96



INTUMESCENT AND ACOUSTIC MASTIC

Part Number	Description	Volume ml	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JFIREMAS	Intumescent & Acoustic Mastic	310	1/12	0.34	7.20



CRACK STITCH TWIST STARTER KIT

Part Number	Price £ Each
CSKIT	192.50

KIT CONTAINS:

10 lengths of 6mm x 1000mm Bar, 1 x 3ltr Tub of Grout, 1 x 9.5mm Nozzle, 1 x Crack Stitching Gun, 1 x Mixing Paddle, 1 x Finger Trowel



POINTING GUN

Part Number	Description	Price £ Each
CSGUN	Crack Stitching Gun	49.04



MIXING PADDLE

Part Number	Description	Price £ Each
CSMP	Mixing Paddle	6.17



STITCHING BAR

1 metre bar for use as masonry reinforcement and crack stitching.

Stainless Steel
Grade A2-304

Part Number	Description	Quantity Per Box	Price £ Each
CS061000	6mm x 1000mm bar	10	7.48
CS081000	8mm x 1000mm bar	10	10.76

**CEMENTITIOUS GROUT**

Cementitious grout for use in crack stitching.

Part Number	Description	Price £ Each
CSGROUT	3 litre tub of grout	67.56

**B3 RATED EXPANDING FOAM**

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B3H	Grade B3 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	18.21
JF750B3G	Grade B3 Gun Applied Expanding Foam	750ml	1/12	0.84	18.66

**B2 RATED EXPANDING FOAM**

B2 foam is suitable for use where joints must conform to BS471 (Part 20) DIN4102 (Part 1)

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B2H	Grade B2 Hand Held Foam + 1 Nozzle	750ml	1/12	0.84	20.42
JF750B2G	Grade B2 Gun Applied Foam	750ml	1/12	0.84	20.94



JCP foam is a one part construction foam designed for filling irregular gaps. All foams are supplied with protective gloves included. For B2 Foams to achieve a fire rating approval they must be used in conjunction with a fire rated sealant.

FIRE STOP EXPANDING FOAM

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF750B1H	Grade B1 Hand Held Expanding Foam + 1 Nozzle	750ml	1/12	0.84	26.13
JF750B1G	Grade B1 Gun Applied Expanding Foam	750ml	1/12	0.84	27.18

JCP fire stop products can be used where a fire resistance of up to 4 hours is required (according to BS476 part 22).



POLYURETHANE CLEANER

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JF500C	Polyurethane Cleaner	500ml	1/12	0.50	16.37



APPLICATOR GUNS

Part Number	Description	Volume	Quantity Unit/Box	Ship Wt. Kg Each	Price £ Each
JFGUNC	Professional Applicator Gun	-	1	0.70	35.94
JFGUNB	Conventional Applicator Gun	-	1	0.60	25.67



PROFESSIONAL



CONVENTIONAL

ON-SITE SUPPORT

Throughout the UK we offer onsite testing of the product by our highly experienced field representatives, where required. Whether a building regulation requirement or for peace of mind, we will provide advice on behalf of a distributor.

In addition, our technical support team provide a troubleshooting technical back up when required, should things not go to plan when products are being installed.

If you are interested in finding out more please contact our technical helpline.

Technical Helpline: 020 8943 1800
Monday to Thursday 8.30 am to 5.30 pm
and 8.30 am to 5.00 pm on Fridays.



HAMMER SCREW

Suitable for fixing into non-cracked concrete or masonry.

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS05030	5	30	5	30	100	0.35	14.09
NHS05050	5	50	25	30	100	0.40	16.73
NHS06040	6	40	10	35	100	0.47	17.01
NHS06050	6	50	20	35	100	0.55	19.40
NHS06060	6	60	30	35	100	0.63	21.63
NHS06070	6	70	40	35	100	0.83	23.79
NHS08060	8	60	20	45	100	1.01	32.30
NHS08080	8	80	40	45	100	1.26	34.92
NHS08100	8	100	60	45	50	1.56	45.46
NHS08120	8	120	80	45	50	1.89	53.82
NHS08140	8	140	100	45	50	2.22	73.07



FLANGE HEAD HAMMER SCREW

A nylon plug with a large diameter head, zinc plated hammer in screw suitable for fixing into non-cracked concrete or masonry.

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS06040FH	6	40	10	35	13	100	0.47	16.67



HAMMER SCREW

Stainless Steel
A2-304

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NHS05030SS	5	30	5	30	200	0.35	35.99
NHS06040SS	6	40	10	35	200	0.47	46.42
NHS06060SS	6	60	30	35	100	0.63	55.50
NHS06070SS	6	70	40	35	100	0.74	65.25
NHS08060SS	8	60	20	45	100	1.01	77.87
NHS08080SS	8	80	40	45	100	1.26	101.24
NHS08100SS	8	100	60	45	50	1.56	124.45



NYLON NAIL PLUG

A mushroom head, nylon expansion plug which gives a flush finish with no metallic parts.

Part Number	Anchor Hole Size mm	Anchor Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NNP06040	6	40	7	50	13	100	0.35	11.95



WINDOW FRAME ANCHOR

For use with PVC Frames (available while stocks last).

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NWFA08100	8	100	50	55	50	1.63	20.00
NWFA08120	8	120	70	55	50	1.98	21.00
NWFA10140	10	140	90	65	50	3.49	32.00
NWFA10165	10	165	115	65	50	4.12	35.00

NYLON FRAME FIXING

Countersunk Screw • Suitable for fixing into non cracked concrete or masonry.

Zinc Plated and
Yellow Passivated

Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08060	8	60	20	45	100	1.24	37.66
NFF08080	8	80	40	45	100	1.56	42.51
NFF08100	8	100	60	45	100	1.70	47.59
NFF08120	8	120	80	45	100	1.89	62.60
NFF10080	10	80	35	50	100	2.40	64.22
NFF10100	10	100	55	50	100	3.44	67.45
NFF10120	10	120	75	50	100	3.80	80.07
NFF10140	10	140	95	50	100	4.36	92.41
NFF10160	10	160	115	50	100	5.16	122.53

COUNTERSUNK NYLON FRAME FIXING

Countersunk Screw • European Technical Approval for multiple fixings for non-structural applications. Torx drive, 8mm T30 Drive, 10mm T40 Drive.



Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETA	8	80	10	90	100	1.83	43.23
NFF08100ETA	8	100	30	90	100	2.28	49.97
NFF08120ETA	8	120	50	90	100	2.76	62.43
NFF08140ETA	8	140	70	90	50	3.24	83.24
NFF10080ETA	10	80	10	90	50	2.47	66.05
NFF10100ETA	10	100	30	90	50	3.14	69.55
NFF10120ETA	10	120	50	90	50	3.79	84.80
NFF10140ETA	10	140	70	90	50	4.43	98.19
NFF10160ETA	10	160	90	90	50	5.06	123.30





NYLON FRAME FIXING

Hexagon Head

European Technical Approval for multiple fixings for non-structural applications.




Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETAH	8	80	10	90	100	2.10	46.81
NFF08100ETAH	8	100	30	90	100	2.57	54.93
NFF08120ETAH	8	120	50	90	100	3.06	70.44
NFF08140ETAH	8	140	70	90	50	3.44	94.18
NFF10080ETAH	10	80	10	90	50	3.08	62.05
NFF10100ETAH	10	100	30	90	50	3.75	79.18
NFF10120ETAH	10	120	50	90	50	4.43	85.56
NFF10140ETAH	10	140	70	90	50	5.32	107.21
NFF10160ETAH	10	160	90	90	50	5.71	124.86



NYLON FRAME FIXING

Countersunk Screw • European Technical Approval for multiple fixings for non-structural applications. Torx drive, 8mm T30 Drive, 10mm T40 Drive.



Part Number	Anchor Hole Size mm	Anchor Plug Length mm	Max Fixture Thickness mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NFF08080ETASS	8	80	10	90	100	1.83	156.98
NFF08100ETASS	8	100	30	90	100	2.29	186.70
NFF08120ETASS	8	120	50	90	100	2.80	219.54
NFF08140ETASS	8	140	70	90	50	3.25	300.75
NFF10080ETASS	10	80	10	90	50	2.59	217.91
NFF10100ETASS	10	100	30	90	50	3.25	248.39
NFF10120ETASS	10	120	50	90	50	3.85	282.84
NFF10140ETASS	10	140	70	90	50	4.48	356.72
NFF10160ETASS	10	160	90	90	50	5.02	409.95



PUSH PLUG

A mushroom head push in fixing with no expansion forces. Grips the hole with flexible wings.

Part Number	Anchor Hole Size mm	Anchor Length mm	Max.Fixture Thickness mm	Minimum Hole Depth mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
PP06035	6	35	5	45	13	100	0.10	10.42



NYLON WALL PLUGS

Suitable for Solid Base Materials.

Part Number	Anchor Hole Size mm	Plug Length mm	Wood Screw Gauge No mm	Metric Screw Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NP05	5	25	4-6	2.5-3.5	30	100	0.04	4.52
NP06	6	30	6-10	3.5-5.0	35	100	0.08	6.05
NP07	7	30	8-12	4.0-5.5	35	100	0.12	7.54
NP08	8	40	10-14	5.0-6.0	45	100	0.15	8.78
NP10	10	50	14-18	6.0-8.0	55	50	0.29	17.24
NP12	12	60	18-24	8.0-10.0	70	25	0.52	32.12
NP14	14	70	24-32	10.0-12.0	80	20	0.74	47.59

NYLON WALL PLUGS

Suitable for Hollow or Solid Base Materials



NUP06035	6	35	6-8	3.5-4.0	40	200	0.04	13.68
NUP08050	8	50	10-12	4.5-5.5	55	100	0.12	20.00
NUP10060	10	61	12-14	5.5-6.0	65	50	0.15	23.30

PREMIUM NYLON WALL PLUG

A nylon plug of high quality with screw guidance and anti rotation lugs.

The innovative design gives excellent results in a number of base materials.



NP06030	6	30	6-10	3.5-5.0	35	100	0.04	5.92
NP06055	6	55	6-10	3.5-5.0	60	100	0.07	6.44
NP08040	8	40	10-14	4.5-6.0	45	100	0.1	7.73
NP08060	8	60	10-14	4.5-6.0	70	100	0.16	9.01
NP10080	10	80	14-18	6.0-8.0	90	100	0.3	17.25
NP12055	12	55	18-24	8.0-10.0	60	100	0.26	30.39

JCP STANDARD PLASTIC PLUGS (Supplied on a sprue)



Part Number	Colour	Drill Diameter mm	Length mm	Wood Screw Gauge No	Metric Screw Size mm	Minimum Hole Depth	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 1000
AYP	Yellow	5	22	4-8	2.5-4.0	30	100	0.40	18.89
ARP	Red	6	30	6-10	3.5-5.0	40	100	0.64	19.97
ABP	Brown	7	37	10-14	5.0-6.0	45	100	1.12	24.60

JCP BULK PLASTIC PLUGS (Supplied loose)

Standard JCP Plastic Plug supplied loose in boxes of 10,000



LBARP	Red	6	37	6-10	3.5-5.0	40	100	1.05	18.34
LBABP	Brown	7	37	10-14	5.0-6.0	45	100	1.35	19.39



JCP PREMIUM PLASTIC PLUGS (Sold in outers of 1,000)

Part Number	Colour	Drill Diameter mm	Length mm	Wood Screw Gauge No	Metric Screw Size mm	Minimum Hole Depth	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 1000
JCPRED	Red	6	37	6-10	3.5-5.0	45	100	1.05	22.98
JCPBROWN	Brown	7	37	10-14	5.0-6.0	45	100	1.35	26.37



METAL EXPANSION PLUG

A 4 segment expansion plug expanded by using a wood screw for light duty fixing in to concrete, masonry or aerated concrete blocks.

Part Number	Drill Diameter mm	Plug Length mm	Screw Size mm	Minimum Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MP05030	5	30	4.5	40	100	0.20	11.84
MP06032	6	32	4.5-5.0	40	100	0.20	12.79
MP08038	8	38	5.0-6.0	50	100	0.60	18.86
MP08060	8	60	5.0-6.0	70	50	1.00	26.11

J-PLUG PLASTERBOARD FIXING

C/W Screw

Part Number	Screw Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm	Hole Depth mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
JJP15	4.5	35	15	37	100	0.50	50.27
JJP30	4.5	50	30	37	100	0.60	53.74
JJP15A	4.5	35	15	32	100	0.50	40.80
JJP30A	4.5	50	30	32	100	0.65	43.26
JJPN10A	4.5	30	10	29	100	0.20	32.50



JJP15



JJP15A



JJPN10A

J-PLUG PLASTERBOARD KIT

Part Number	Description	Price £ Each
JJP15ACASE	200 JJP15A Fixings C/W Screws and Screwdriver	69.59



ROAD FIXING KIT

Part Number	Description	Price £ Each
RFK12125	4 x M12 x 125 Ankernuts C/W M12 x 160 Set Bolt and Washer	27.68





ANKERNUT

A synthetic rubber sleeve with brass threaded insert suitable for use in hollow materials and occasional use in solid materials.

Part Number	Thread Diameter mm	Hole Diameter mm	Wall Thickness mm	Overall Length mm	Flange Thickness mm	Flange Diameter mm	Rec. Tightening Torque Nm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LNN03024	3	8	2.0-15.0	24	1.0	11.0	1	50	0.17	75.79
LNN04011	4	8	0.4-2.0	13	1.0	11.0	1	50	0.19	62.66
LNN04024	4	8	2.0-15.0	25	1.0	11.0	1	50	0.30	75.74
LNN05015	5	10	0.4-4.0	14	1.0	13.0	1.8	50	0.24	66.17
LNN05025	5	10	8.0-16.0	25	1.3	14.0	1.8	50	0.36	68.33
LNN05040	5	10	20.0-30.0	40	1.3	14.0	1.8	50	0.40	76.27
LNN06015	6	13	0.4-3.0	15	1.3	16.0	4	50	0.42	84.21
LNN06025	6	13	6.0-12.0	25	1.3	16.0	4	50	0.58	93.66
LNN06035	6	13	12.0-25.0	35	1.3	16.0	4	50	0.78	95.19
LNN06050	6	13	25.0-40.0	50	1.3	16.0	4	50	0.85	110.91
LNN08025	8	18	4.0-10.0	25	1.3	22.0	8	50	1.12	148.00
LNN08050	8	18	25.0-35.0	50	1.6	20.0	8	50	1.88	178.48
LNN10055	10	20	25.0-35.0	55	1.3	22.5	10	25	2.28	207.79
LNN12075	12	24	35.0-45.0	75	1.3	27.0	15	20	4.00	340.30
LNN12125	12	24	35.0-45.0	125	1.3	27.0	15	20	7.50	520.21

ROSETT CAVITY FIXING

TORX 25 DRIVE

Part Number	Screw Length mm	Wall Thickness mm	Max. Fixture Thickness mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
BR05055	55	9-18	15	10	25	1.17	63.09
BR05080	85	9-18	40	10	25	1.49	68.15
RR05065	65	18-30	12	10	25	1.35	65.96
RR05090	90	18-30	38	10	25	1.66	73.83
BRHOOK	-	9-18	-	10	25	1.55	108.73
RRHOOK	-	18-30	-	10	25	1.78	108.99



HOLLOW WALL ANCHOR

Zinc Plated and Yellow Passivated



Part Number	Screw Size mm	Wall Thickness mm	Max. Fixture Thickness mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LHWA04025	M4 X 25	0-4	10	7	100	0.46	42.68
LHWA04045	M4 X 45	8-13	15	7	100	0.75	47.07
LHWA04050	M4 X 50	16-20	15	7	100	0.86	49.76
LHWA04065	M4 X 65	22-27	30	7	100	0.96	69.99
LHWA05045	M5 X 45	5-10	15	9	100	1.35	67.34
LHWA05060	M5 X 60	5-13	23	9	50	1.68	74.38
LHWA05070	M5 X 70	17-25	23	9	50	1.80	88.29
LHWA06060	M6 X 60	7-13	23	10	50	2.22	95.60
LHWA06070	M6 X 70	16-24	24	10	50	2.68	104.62

HOLLOW WALL ANCHOR SETTING TOOL

Part Number	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
LHWAST	1	0.45	25.96



SPRING TOGGLES

Complete With Screws

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter mm	Screw Length mm	Wall & Fixture Thickness mm	Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LST03050	3	50	30	20	11	100	0.52	40.69
LST05050	5	50	20	30	14	100	1.27	44.42
LST05075	5	75	45	30	14	100	1.62	50.27
LST05100	5	100	70	30	14	100	1.88	59.79
LST06075	6	75	45	30	18	100	2.58	66.97



SPRING TOGGLES

Wings Only

Zinc Plated and
Yellow Passivated

Part Number	Thread Diameter mm	Screw Length mm	Wall & Fixture Thickness mm	Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LSTM03	3	-	-	20	11	100	0.34	26.26
LSTM05	5	-	-	30	14	100	0.63	31.17
LSTM06	6	-	-	30	18	100	0.97	43.10
LSTM08	8	-	-	40	22	50	1.66	95.79
LSTM10	10	-	-	40	25	50	2.64	114.93



PLASTIC TOGGLES

Part Number	Wood Screw Size mm	Wood Screw Gauge mm	Wall Thickness mm	Minimum Cavity Depth mm	Hole Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
NT10	4.5	8	4-12	30	10	100	0.23	20.08
NT12	4.5	8	15-19	35	10	100	0.25	21.99
NT16	4.5	8	24-28	40	10	100	0.25	22.88

DRIVEFAST GAS NAILS

Clipped Head Nails and Fuel Cell Pack.

34° Angled Nails and gas for timber to timber fixing suitable for use in Drivefast DF90, IM350, NR90GC2, GN90OS, WW90CH, GS690CH, GT90CH & D90S. 1 Fuel Cell per 1100 nails.



In accordance with BSEN14592

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM35051RB	51	2.8	Ring Bright	2,200	10.50	58.02
IM35063RB	63	2.8	Ring Bright	2,200	12.10	60.07
IM35075RB	75	3.1	Ring Bright	2,200	12.60	78.09
IM35051EG	51	2.8	Ring Electro Galv	2,200	10.50	66.13
IM35063EG	63	2.8	Ring Electro Galv	2,200	12.10	73.13
IM35075EG	75	3.1	Ring Electro Galv	2,200	12.60	91.63
IM35063RG	63	2.8	Ring Hot Dip Galv	2,200	12.10	90.81
IM35075RG	75	3.1	Ring Hot Dip Galv	2,200	12.60	100.97
IM35090SB	90	3.1	Smooth Bright	2,200	12.60	77.75
IM35090EG	90	3.1	Smooth Electro Galv	2,200	12.60	97.45
IM35090SG	90	3.1	Screwed Electro Galv	2,200	12.60	107.69



DRIVEFAST GAS NAILS

Stainless Steel Ringed Clipped Head Nails and Fuel Cell Pack.

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM35051SS	51	2.8	Stainless Steel	1000	4.75	130.84
IM35063SS	63	2.8	Stainless Steel	1000	4.80	147.10
IM35080SS	80	3.1	Stainless Steel	1000	5.75	190.97
IM35090SS	90	3.1	Stainless Steel	1000	6.00	218.25

HANDI PACK DRIVEFAST

Clipped Head Nails and Fuel Cell Pack • Drivefast nails and gas in packs of 1000 nails plus one fuel cell.

Part Number	Nail Length mm	Shank Diameter mm	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
HAN51RB	51	2.8	Ring Bright	1000	4.75	31.30
HAN51EG	51	2.8	Ring Electro Galv	1000	4.75	35.63
HAN63RB	63	2.8	Ring Bright	1000	4.75	32.74
HAN63EG	63	2.8	Ring Electro Galv	1000	4.75	39.37
HAN75RB	75	3.1	Ring Bright	1000	6.00	42.09
HAN75EG	75	3.1	Ring Electro Galv	1000	6.00	49.30
HAN90SB	90	3.1	Smooth Bright	1000	6.00	41.88
HAN90SG	90	3.1	Screwed Electro Galv	1000	6.00	57.96
HAN90EG	90	3.1	Smooth Electro Galv	1000	6.00	52.48





BRAD NAILS & GAS

16 gauge straight brads for use in IM250, NT65GS & DC616KB.1 Fuel Cell per 1000 nails.

16 Gauge Straight Brads

Part Number	Nail Length mm	Shank Diameter	Description	Quantity Per Outer Box	Quantity Per Inner Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038G	38	F16	IM250 Galv Brad	8000	2000	5.00	38.56
IM25050G	50	F16	IM250 Galv Brad	8000	2000	7.00	43.00
IM25064G	64	F16	IM250 Galv Brad	8000	2000	8.00	46.12



Stainless Steel Brad Nails and Fuel Cell Pack

Part Number	Nail Length mm	Shank Diameter	Description	Quantity Per Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038SS	38	F16	Stainless Steel	2000	5.00	113.21
IM25050SS	50	F16	Stainless Steel	2000	7.00	144.93

16 Gauge Angled Brads

Part Number	Nail Length mm	Shank Diameter	Description	Quantity Per Outer Box	Quantity Per Inner Box	Ship Wt. Kg Per Box	Price £ Per Box
IM25038A	38	F16	Angled Brad	8000	2000	5.00	37.43
IM25050A	50	F16	Angled Brad	8000	2000	7.00	40.42



DRIVEFAST GAS ONLY

Part Number	Description	Quantity Per Box	Price £ Each
IMGAS250	To suit IM250/IM250A	10	15.45
IMGAS350	To suit IM350	10	15.45



Owlett-Jaton

30,000 Product lines in stock

1,400 deliveries a day

5 easy ways to order

1st for quality and service

Online trading

Next day delivery to mainland UK

Experienced internal and external staff

Strong commitment to customer service

www.ojtrade.co.uk

www.owlett-jaton.com

CEILING HANGER

Suspension Clip suitable for 8mm Cartridge tools.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VCH32	3.8	32	100	0.64	49.63



CARTRIDGE TOOL

Strip Feed Tool with power adjuster suitable for 12mm metal washered drive pins up to 97mm long. (82mm & 97mm pins require pre-driving).

PA97

Part Number	Description	Quantity Per Unit	Ship Wt. Kg Each	Price £ Each
PA97KIT	Strip Feed Cartridge Tool C/W Kit in Toolbox	1	4.90	602.55



TOOL KIT PA97




In accordance with BSEN15895

Part Number	Description	Quantity Per Unit	Price £ Each
SG	Safety Goggles	1	4.46
DFL0114	Lubricating Spray	1	7.51
CBW30	30mm Round Wire Brush	1	9.96
CB08	8mm Round Nylon Brush	1	4.50
CBFW25	Flat Wire Brush	1	11.38
SP703	Piston	1	22.11
SP735	Stop Ring	1	5.48
SP757	Retaining Ring	1	1.27
SP738	Circlip	1	1.05
SP771	Spall Shield	1	8.02

CARTRIDGE STRIPS

To suit PA97 and most other strip feed tools.

Part Number	Colour	Strength	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
V3LVS27G	Green	Low	100	0.14	18.48
V4LVS27Y	Yellow	Low/Medium	100	0.14	18.48
V6REDLVS27	Red	Medium/High	100	0.14	18.48
V7BLKLV27	Black	Extra High	100	0.14	20.48





SHOT FIRED PINS

Metal Washered Pins suitable for PA97.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VMW16	3.7	16	100	0.25	21.27
VMW19	3.7	19	100	0.28	22.38
VMW22	3.7	22	100	0.31	23.44
VMW27	3.7	27	100	0.40	22.61
VMW32	3.7	32	100	0.46	24.50
VMW37	3.7	37	100	0.48	25.78
VMW42	3.7	42	100	0.54	26.85
VMW47	3.7	47	100	0.58	27.92
VMW52	3.7	52	100	0.66	29.40
VMW57	3.7	57	100	0.67	30.48
VMW62	3.7	62	100	0.68	31.33
VMW72	3.7	72	100	0.77	34.73
VMW82	3.7	82	100	0.99	40.28
VMW97	3.7	97	100	1.21	43.48



PLASTIC WASHERED PINS

Plastic Washered Pins suitable for Ramset P.A. Tools, Spit P200 and other 8mm Cartridge tools.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VPW16	3.8	16	100	0.17	20.67
VPW19	3.8	19	100	0.20	21.10
VPW22	3.8	22	100	0.22	21.73
VPW27	3.8	27	100	0.27	23.01
VPW32	3.8	32	100	0.32	24.29
VPW37	3.8	37	100	0.40	24.94
VPW42	3.8	42	100	0.42	26.65
VPW47	3.8	47	100	0.46	27.49
VPW52	3.8	52	100	0.52	28.99
VPW57	3.8	57	100	0.59	30.27
VPW62	3.8	62	100	0.66	30.90
VPW72	3.8	72	100	0.76	33.45



MAGAZINE PINS

Magazine Pins suitable for 8mm Magazine Cartridge tools.

Part Number	Shank Diameter mm	Shank Length mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
VSN19	3.8	19	100	0.25	25.12
VSN22	3.8	22	100	0.27	25.62
VSN27	3.8	27	100	0.32	25.05
VSN32	3.8	32	100	0.37	25.57
VSN37	3.8	37	100	0.45	26.80
VSN42	3.8	42	100	0.47	28.80
VSN47	3.8	47	100	0.51	30.03
VSN52	3.8	52	100	0.57	31.69
VSN57	3.8	57	100	0.64	37.67
VSN62	3.8	62	100	0.66	40.08
VSN72	3.8	72	100	0.81	41.70

**METALFIX**

Zinc Plated • Without Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55019	5.5	19	3	1.2-3.0	4	-	100	0.38	15.92
MFL55025	5.5	25	3	1.2-3.0	10	-	100	0.56	16.31
MFL55032	5.5	32	3	1.2-3.0	17	-	100	0.65	16.77
MFL55038	5.5	38	3	1.2-3.0	23	-	100	0.74	18.96
MFL55050	5.5	50	3	1.2-3.0	35	-	100	0.90	20.31
MFH55022	5.5	22	4	3.0-6.0	5	-	100	0.52	25.53
MFH55032	5.5	32	5	4.0-12.5	5	-	100	0.65	30.17
MFH55040	5.5	40	5	4.0-12.5	13	-	100	0.76	32.03
MFH55050	5.5	50	5	4.0-12.5	23	-	100	0.90	38.86
MFH55060	5.5	60	5	4.0-12.5	33	-	100	1.04	44.22
MFH55070	5.5	70	5	4.0-12.5	43	-	100	1.18	47.92
MFH55080	5.5	80	5	4.0-12.5	53	-	100	1.32	54.97

**METALFIX**

Zinc Plated • With 16mm Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Zinc Plated and
Clear Passivated

MFL55025W16	5.5	25	3	1.2-3.0	7	16	100	0.51	22.13
MFL55032W16	5.5	32	3	1.2-3.0	14	16	100	0.59	24.34
MFL55038W16	5.5	38	3	1.2-3.0	20	16	100	0.67	25.04
MFL55043W16	5.5	43	3	1.2-3.0	25	16	100	0.89	26.68
MFL55050W16	5.5	50	3	1.2-3.0	32	16	100	0.81	27.84
MFL55057W16	5.5	57	3	1.2-3.0	39	16	100	0.81	28.59
MFL55070W16	5.5	70	3	1.2-3.0	52	16	100	1.21	31.43
MFL55075W16	5.5	75	3	1.2-3.0	57	16	100	1.05	32.37
MFH55022W16	5.5	22	4	3.0-6.0	2	16	100	0.47	32.85
MFH55032W16	5.5	32	5	4.0-12.5	2	16	100	0.59	36.11
MFH55040W16	5.5	40	5	4.0-12.5	10	16	100	0.69	37.50
MFH55050W16	5.5	50	5	4.0-12.5	20	16	100	0.81	43.91
MFH55060W16	5.5	60	5	4.0-12.5	30	16	100	0.93	51.20
MFH55070W16	5.5	70	5	4.0-12.5	40	16	100	1.07	54.20
MFH55080W16	5.5	80	5	4.0-12.5	50	16	100	1.18	74.43
MFH55100W16	5.5	100	5	4.0-12.5	70	16	100	1.43	84.75
MFH55120W16	5.5	120	5	4.0-12.5	90	16	100	1.68	110.97

**METALFIX**

Zinc Plated • With 19mm Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Zinc Plated and
Clear Passivated

MFL55025W19	5.5	25	3	1.2-3.0	7	19	100	0.51	22.83
MFL55032W19	5.5	32	3	1.2-3.0	14	19	100	0.59	25.04
MFL55038W19	5.5	38	3	1.2-3.0	20	19	100	0.67	25.74
MFL55050W19	5.5	50	3	1.2-3.0	32	19	100	0.81	28.54
MFL55075W19	5.5	75	3	1.2-3.0	57	19	100	1.05	33.83
MFH55022W19	5.5	22	4	3.0-6.0	1.2	19	100	0.47	33.54
MFH55032W19	5.5	32	5	4.0-12.5	2	19	100	0.59	36.81
MFH55040W19	5.5	40	5	4.0-12.5	10	19	100	0.69	38.20
MFH55050W19	5.5	50	5	4.0-12.5	20	19	100	0.81	44.61
MFH55060W19	5.5	60	5	4.0-12.5	30	19	100	0.93	51.90
MFH55070W19	5.5	70	5	4.0-12.5	40	19	100	1.07	59.20
MFH55080W19	5.5	80	5	4.0-12.5	50	19	100	1.18	75.12
MFH55100W19	5.5	100	5	4.0-12.5	70	19	100	1.43	87.68
MFH55120W19	5.5	120	5	4.0-12.5	90	19	100	1.68	91.44



METALFIX

Zinc Plated • Without Washer • Min 8µm • DIN 7504K • 1/4" A/F • Suitable for fixing Steel to Steel

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP42013	4.2	13	2	1.2-2.5	5	-	200	0.19	5.92
GP42016	4.2	16	2	1.2-2.5	8	-	200	0.21	6.30
GP42019	4.2	19	2	1.2-2.5	11	-	200	0.22	7.01
GP42025	4.2	25	2	1.2-2.5	17	-	200	0.29	7.32
GP48016	4.8	16	3	1.2-3.0	2	-	100	0.29	8.15
GP48019	4.8	19	3	1.2-3.0	5	-	100	0.30	9.42
GP48025	4.8	25	3	1.2-3.0	11	-	100	0.35	10.70



METALFIX LOOSE WASHER

1mm Steel with 2mm bonded EPBM backing.

Zinc Plated and
Clear Passivated

MFW16	6	-	-	-	-	16	100	0.15	8.95
MFW19	6	-	-	-	-	19	100	0.18	10.12



POZI PAN HEAD SELF DRILLING SCREWS

Zinc Plated • Min 8µm • DIN 7504N • Suitable for fixing Steel to Steel

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
PH35095	3.5	9.5	2	1.2-2.5	1	-	200	0.08	3.76
PH35013	3.5	13	2	1.2-2.5	5	-	200	0.10	4.01
PH35019	3.5	19	2	1.2-2.5	11	-	200	0.12	4.46
PH42013	4.2	13	2	1.2-2.5	5	-	200	0.15	4.90
PH42016	4.2	16	3	1.2-2.5	8	-	200	0.17	5.16
PH42019	4.2	19	3	1.2-2.5	11	-	200	0.19	5.67
PH42025	4.2	25	3	1.2-2.5	17	-	200	0.23	6.30
PH48013	4.8	13	3	1.2-3.0	2	-	200	0.21	7.07
PH48019	4.8	19	3	1.2-3.0	5	-	200	0.26	7.32
PH48025	4.8	25	3	1.2-3.0	11	-	200	0.32	8.47



WOODFIX

Zinc Plated • Min 8µm • Phillips No.3 Drive • DIN 7504P • Suitable for fixing Timber to Steel

Zinc Plated and
Clear Passivated

WFL55040	5.5	40	3	1.2-3.0	22	-	100	0.71	19.10
WFL55050	5.5	50	3	1.2-3.0	32	-	100	0.85	21.20
WFL55060	5.5	60	3	1.2-3.0	42	-	100	1.00	23.43
WFL55080	5.5	80	3	1.2-3.0	62	-	100	1.28	35.83
WFL55100	5.5	100	3	1.2-3.0	82	-	100	1.56	44.73
WFL55110	5.5	100	3	1.2-3.0	92	-	100	1.70	56.70
WFL55120	5.5	120	3	1.2-3.0	112	-	100	1.86	67.01
WFH55050	5.5	50	5	4.0-12.5	23	-	100	0.85	27.95
WFH55060	5.5	60	5	4.0-12.5	33	-	100	1.00	35.83
WFH55070	5.5	70	5	4.0-12.5	43	-	100	1.14	39.25
WFH55085	5.5	85	5	4.0-12.5	58	-	100	1.35	60.82
WFH55109	5.5	109	5	4.0-12.5	82	-	100	1.69	77.22
WFH55120	5.5	120	5	4.0-12.5	92	-	100	1.86	90.02



WOODFIX DRIVE BIT

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
WFPH3	-	-	-	-	-	-	10	0.30	2.56



METALFIX GASH POINT SCREW

Zinc Plated • With Washer • Min 8µm • Suitable for fixing Steel to Timber

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP6303216W	6.3	32	-	0.7-1.4	1	16	100	0.84	27.83
GP6304516W	6.3	45	-	0.7-1.4	5	16	100	1.05	29.70
GP6306016W	6.3	60	-	0.7-1.4	15	16	100	1.25	41.25
GP6308016W	6.3	80	-	0.7-1.4	35	16	100	1.50	53.65
GP6310016W	6.3	100	-	0.7-1.4	55	16	100	1.76	65.22
GP6312516W	6.3	125	-	0.7-1.4	80	16	100	2.02	81.72
GP6302519W	6.3	25	-	0.7-1.4	1	19	100	0.77	27.19
GP6303219W	6.3	32	-	0.7-1.4	1	19	100	0.84	28.54
GP6304519W	6.3	45	-	0.7-1.4	5	19	100	1.05	30.41
GP6306019W	6.3	60	-	0.7-1.4	15	19	100	1.34	42.74
GP6308019W	6.3	80	-	0.7-1.4	35	19	100	1.67	54.97
GP6310019W	6.3	100	-	0.7-1.4	55	19	100	1.99	66.17
GP6312519W	6.3	125	-	0.7-1.4	80	19	100	2.40	83.62
GP6315019W	6.3	150	-	0.7-1.4	105	19	100	2.81	88.99



METALFIX STITCHING SCREW

Zinc Plated • With Washer • Min 8µm • DIN 7504K • Suitable for fixing Steel to Steel

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
SS63022W16	6.3	22	1	-	2 x 0.9	16	100	0.70	29.01
SS63025W16	6.3	25	1	-	2 x 1.2	16	100	0.70	30.51
SS63022W19	6.3	22	1	-	2 x 0.9	19	100	0.80	30.50
SS63025W19	6.3	25	1	-	2 x 1.2	19	100	0.80	31.21

Maximum Fixture Thickness allows for maximum steel thickness



METALFIX HIGH THREAD

Zinc Plated • Min 8µm • Composite Panel Fixing to Light Section

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
HT55065	5.5	65	3	1.2-3.0	30-45	19	100	1.22	36.49
HT55070	5.5	70	3	1.2-3.0	35-50	19	100	1.30	37.27
HT55075	5.5	75	3	1.2-3.0	40-55	19	100	1.34	38.53
HT55085	5.5	85	3	1.2-3.0	40-60	19	100	1.46	47.76
HT55100	5.5	100	3	1.2-3.0	45-75	19	100	1.96	51.25
HT55125	5.5	125	3	1.2-3.0	75-100	19	100	2.46	65.02
HT55150	5.5	150	3	1.2-3.0	90-120	19	100	2.90	76.10



METALFIX HIGH THREAD

Zinc Plated • Min 8µm • Composite Panel Fixing to Heavy Section

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
HTH55075	5.5	75	5	4.0-12.5	30-45	19	100	1.43	47.76
HTH55105	5.5	105	5	4.0-12.5	50-64	19	100	1.82	55.59
HTH55130	5.5	130	5	4.0-12.5	60-95	19	100	2.18	70.13



LOW PROFILE METALFIX

No.2 Pozi Drive

Zinc Plated and
Clear Passivated

NEW! AVAILABLE JUNE

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
LLP48016	4.8	16	3	1.2-2.5	8	10	200	0.27	18.95
LLP48025	4.8	25	3	1.2-2.5	17	10	200	0.32	20.40
LLP48030	4.8	30	3	1.2-2.5	22	10	200	0.35	21.65
LLP48040	4.8	40	3	1.2-2.5	32	10	100	0.38	22.85
HLP55020	5.5	20	3	1.2-3.5	5	10	200	0.35	20.35
HLP55040	5.5	40	3	1.2-3.5	25	10	100	0.67	25.25



WAFER HEAD SCREW

No.2 Phillips Drive

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WH4213	4.2	13	2	1.2-2.5	7	11	200	0.25	8.17



METALFIX

5/16" Magnetic Socket

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Insulation Thickness mm	Head Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per Each
MF516	-	-	-	-	-	-	1	3.00	5.44



FIBRE CEMENT SCREWS

Zinc Plated • Min 8µm • Light Section

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
FCL63110	6.3	110	3	1.2-3.0	75	22/25	50	2.23	82.20
FCL63125	6.3	125	3	1.2-3.0	95	22/25	50	2.78	91.83
FCL63155	6.3	155	3	1.2-3.0	125	22/25	50	3.27	114.39
FCL63175	6.3	175	3	1.2-3.0	145	22/25	50	3.58	131.42
FCL63195	6.3	195	3	1.2-3.0	165	22/25	50	3.92	147.11
FCL63230	6.3	230	3	1.2-3.0	200	22/25	50	4.59	199.08



FIBRE CEMENT SCREWS

Zinc Plated • Min 8µm • Heavy Section

Zinc Plated and
Clear Passivated

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
FCH63110	6.3	110	5	4.0-12.5	75	22/25	50	2.48	82.74
FCH63130	6.3	130	5	4.0-12.5	95	22/25	50	2.81	99.59
FCH63150	6.3	150	5	4.0-12.5	120	22/25	50	3.13	116.88
FCH63180	6.3	180	5	4.0-12.5	145	22/25	50	3.62	150.67
FCH63200	6.3	200	5	4.0-12.5	165	22/25	50	3.94	170.92
FCH63235	6.3	235	5	4.0-12.5	200	22/25	50	4.70	231.18



METALFIX

Bi-Metallic • A2 Stainless Steel • Light Section • Suitable for fixing Steel to Steel

Stainless
Steel A2

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55022SS	5.5	22	3	1.3-3.0	2	-	100	0.54	66.31
MFL55025SS	5.5	25	3	1.3-3.0	7	-	100	0.56	68.74
MFL55032SS	5.5	32	3	1.3-3.0	14	-	100	0.65	77.51
MFL55038SS	5.5	38	3	1.3-3.0	20	-	100	0.74	83.38
MFL55050SS	5.5	50	3	1.3-3.0	32	-	100	0.90	104.72



METALFIX

Bi-Metallic • A2 Stainless Steel • Heavy Section • Suitable for fixing Steel to Steel

Stainless
Steel A2

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55032SS	5.5	32	5	4.0-12.5	2	-	100	0.65	82.39
MFH55038SS	5.5	38	5	4.0-12.5	8	-	100	0.76	101.10
MFH55050SS	5.5	50	5	4.0-12.5	20	-	100	0.90	119.88



METALFIX LOOSE WASHER

1mm • A2 Stainless Steel with 2mm • Bonded EPDM Washers

Stainless
Steel A2

Part Number	Hole Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFW16SS	6	-	-	-	-	16	100	0.15	11.05
MFW19SS	6	-	-	-	-	19	100	0.18	11.98



METALFIX

Bi-Metallic • A2 Stainless Steel • Light Section • With 16mm Washer

Stainless
Steel A2

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55022SSW16	5.5	22	3	1.2-3.0	2	16	100	0.49	72.28
MFL55025SSW16	5.5	25	3	1.2-3.0	7	16	100	0.51	79.35
MFL55032SSW16	5.5	32	3	1.2-3.0	14	16	100	0.59	87.07
MFL55038SSW16	5.5	38	3	1.2-3.0	20	16	100	0.67	93.10
MFL55050SSW16	5.5	50	3	1.2-3.0	32	16	100	0.81	113.52



METALFIX

Bi-Metallic • A2 Stainless Steel • Heavy Section • Suitable for fixing Steel to Steel

Stainless
Steel A2

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55032SSW16	5.5	32	5	4.0-12.5	2	16	100	0.65	96.22
MFH55038SSW16	5.5	38	5	4.0-12.5	8	16	100	0.69	105.72
MFH55050SSW16	5.5	50	5	4.0-12.5	20	16	100	0.81	120.94



WOODFIX

Bi-Metallic • A2 Stainless Steel • Light Section • Suitable for fixing Timber to Steel

Stainless
Steel A2

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
WFL55040SS	5.5	40	3	1.2-3.0	22	-	100	0.71	87.77
WFL55050SS	5.5	50	3	1.2-3.0	32	-	100	0.85	103.05
WFL55060SS	5.5	60	3	1.2-3.0	42	-	100	1.00	138.73
WFL55080SS	5.5	80	3	1.2-3.0	62	-	100	1.28	158.89



METALFIX STITCHING SCREW

Bi-Metallic • A2 Stainless Steel

Stainless
Steel A2

Part Number	Thread Diameter mm	Length mm	Point Type	Steel Thickness mm	Max. Fixture Thickness mm	Washer Diameter mm	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
SS63025SSW16	6.3	25	1	-	2 x 0.9	16	100	0.70	87.20
SS63035SSW16	6.3	35	1	-	2 x 1.2	16	100	0.70	102.52



COLOURED COVER CAPS

Coloured Cover Caps to suit Hexagon Head Self Drilling Screws with 16mm or 19mm washers.

Part Number 16mm Washer	Part Number 19mm Washer	Colour	Quantity Per Bag	Ship Wt. Kg Per 1000	Price £ Per 100
MFC16MG	MFC19MG	Merlin Dark Grey (18B25)	1000	0.82	4.99
MFC16GG	MFC19GG	Goosewing Light Grey (10A05)	1000	0.82	4.99
MFC16VB	MFC19VB	Vandyke Brown (08B29)	1000	0.82	4.99
MFC16OG	MFC19OG	Olive Green (12B27)	1000	0.82	4.99
MFC16WH	MFC19WH	White (00E55)	1000	0.82	4.99
MFC16MU	MFC19MU	Mushroom (10B19)	1000	0.82	4.99
MFC16MO	MFC19MO	Moorland Green (12B21)	1000	0.82	4.99
MFC16OB	MFC19OB	Ocean Blue (18C39)	1000	0.82	4.99
MFC16JG	MFC19JG	Juniper Green (12B29)	1000	0.82	4.99
MFC16BL	MFC19BL	Black (00E53)	1000	0.82	4.99
MFC16SB	MFC19SB	Slate Blue (18B29)	1000	0.82	4.99
MFC16PR	MFC19PR	Poppy Red (04E53) *	1000	0.82	4.99
MFC16AN	MFC19AN	Anthracite (18A14) *	1000	0.82	4.99
MFC16SG	MFC19SG	Slate Grey (18B27) *	1000	0.82	4.99

*** NEW COLOURS ADDED**



METALFIX VERTICAL HANGER

Light Section • An internally threaded socket for hanging rods vertically in light section steel

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55M0825V	1/4"	25	3	1.2-3.0	M08	5/8"	100	3.55	209.15
MFL55M0838V	1/4"	38	3	1.2-3.0	M08	5/8"	100	3.40	215.28
MFL55M1025V	1/4"	25	3	1.2-3.0	M10	5/8"	100	3.70	211.71
MFL55M1038V	1/4"	38	3	1.2-3.0	M10	5/8"	100	3.54	220.86



METALFIX VERTICAL HANGER

Heavy Section • An internally threaded socket for hanging rods vertically in heavy section steel

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55M1032V	12g	38	5	4.0-12.5	M10	5/8"	100	3.60	221.77



METALFIX HORIZONTAL HANGER

Light Section • An internally threaded socket for hanging rods vertically in light section steel

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFL55M0825H	1/4"	25	3	1.2-3.0	M08	5/8"	100	3.45	231.98
MFL55M1025H	1/4"	25	3	1.2-3.0	M10	5/8"	100	3.30	240.30
MFL55M1038H	1/4"	38	3	1.2-3.0	M10	5/8"	100	3.40	246.95



METALFIX HORIZONTAL HANGER

Heavy Section • An internally threaded socket for hanging rods vertically in heavy section steel.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MFH55M1032H	12g	38	5	4.0-12.5	M10	5/8"	100	3.10	255.81



GASH POINT VERTICAL HANGER

Heavy Section • An internally threaded socket for hanging rods vertically in wood.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP63M0825V	1/4"	25	-	0.7-1.4	M08	5/8"	100	3.26	211.37
GP63M0850V	1/4"	50	-	0.7-1.4	M08	5/8"	100	3.00	215.08
GP63M1025V	1/4"	25	-	0.7-1.4	M10	5/8"	100	3.50	213.81
GP63M1050V	1/4"	50	-	0.7-1.4	M10	5/8"	100	3.30	217.78
GP79M1063V	5/16"	63	-	0.7-1.4	M10	5/8"	100	3.88	226.64



GASH POINT HORIZONTAL HANGER

An internally threaded socket for hanging rods horizontally in wood.

Part Number	Thread Diameter	Length	Point Type	Steel Thickness	Socket Diameter	A/F	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
GP63M0825H	1/4"	25	-	0.7-1.4	M08	5/8"	100	3.31	221.75
GP63M1025H	1/4"	25	-	0.7-1.4	M10	5/8"	100	2.90	226.98
GP63M1050H	1/4"	50	-	0.7-1.4	M10	5/8"	100	3.40	233.11



SETTING TOOL FOR ROD HANGER

5/8" socket drive for setting rod hangers.

Part Number	Quantity Per Box	Ship Wt. Kg Per 100	Price £ Per 100
MF508RH	5	2.10	14.02



SDS+ DRILL BITS

Suitable for drilling in concrete, natural stone and masonry.

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SD04110	4.0	50	110	5.65
SD05110	5.0	50	110	6.01
SD05160	5.0	100	160	6.76
SD55110	5.5	50	110	6.01
SD55160	5.5	100	160	6.76
SD55210	5.5	150	210	7.96
SD06110	6.0	50	110	6.01
SD06160	6.0	100	160	6.76
SD06200	6.0	150	200	8.25
SD06260	6.0	200	260	9.08
SD65110	6.5	50	110	6.76
SD65160	6.5	100	160	7.51
SD65210	6.5	150	210	8.52
SD65250	6.5	200	250	8.98
SD07110	7.0	50	110	6.84
SD07160	7.0	100	160	7.85
SD07210	7.0	150	210	8.42
SD08110	8.0	50	110	6.97
SD08160	8.0	100	160	7.51
SD08210	8.0	150	210	8.81
SD10110	10.0	50	110	8.18
SD10160	10.0	100	160	9.06
SD10210	10.0	150	210	10.18
SD10260	10.0	200	260	12.85
SD10450	10.0	400	450	23.20
SD12160	12.0	100	160	9.97
SD12210	12.0	150	210	11.73
SD12260	12.0	200	260	14.61
SD12450	12.0	400	450	25.87

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SD13160	13.0	100	160	13.74
SD13210	13.0	150	210	15.86
SD13260	13.0	200	260	20.63
SD14160	14.0	100	160	13.98
SD14210	14.0	150	210	15.94
SD14300	14.0	250	300	20.82
SD14450	14.0	400	450	28.79
SD15160	15.0	100	160	16.82
SD15260	15.0	200	260	21.70
SD16210	16.0	150	210	19.03
SD16300	16.0	250	300	31.01
SD16450	16.0	400	450	37.35
SD18200	18.0	150	200	28.13
SD18450	18.0	400	450	42.94
SD20200	20.0	150	200	36.72
SD20300	20.0	250	300	47.36
SD20450	20.0	400	450	51.33
SD22250	22.0	200	250	56.67
SD22450	22.0	400	450	58.67
SD24260	24.0	200	260	74.07
SD24450	24.0	400	450	74.49
SD25250	25.0	200	250	66.31
SD25450	25.0	400	450	75.28
SD26450	26.0	400	450	77.14
SD28450	28.0	400	450	89.98
SD30450	30.0	400	450	104.50

SDS+ HIGH PERFORMANCE DRILL BITS

Suitable for drilling reinforced concrete • Force X



Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SDHP05110	5.0	50	110	11.25
SDHP05160	5.0	100	160	13.66
SDHP55110	5.5	50	110	12.30
SDHP55160	5.5	100	160	16.82
SDHP06110	6.0	50	110	11.47
SDHP06160	6.0	100	160	12.80
SDHP06210	6.0	150	210	15.67
SDHP06260	6.0	200	260	20.86
SDHP65210	6.5	150	210	20.21
SDHP65260	6.5	200	260	27.68
SDHP07110	7.0	50	110	14.52
SDHP07160	7.0	100	160	16.63
SDHP08110	8.0	50	110	12.19
SDHP08160	8.0	100	160	15.86
SDHP08210	8.0	150	210	19.21
SDHP10110	10.0	50	110	13.16
SDHP10160	10.0	100	160	18.32
SDHP10210	10.0	150	210	21.40
SDHP10260	10.0	200	260	30.03
SDHP10450	10.0	400	450	49.69

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
SDHP12160	12.0	100	160	22.92
SDHP12210	12.0	150	210	27.80
SDHP12260	12.0	200	260	34.94
SDHP12450	12.0	400	450	55.15
SDHP14160	14.0	100	160	36.09
SDHP14210	14.0	150	210	38.49
SDHP14310	14.0	250	310	59.32
SDHP15160	15.0	100	160	43.19
SDHP16210	16.0	150	210	48.16
SDHP16310	16.0	250	310	77.20
SDHP16450	16.0	400	450	86.16
SDHP18250	18.0	200	250	84.47
SDHP18450	18.0	400	450	96.38
SDHP20250	20.0	200	250	91.98
SDHP20400	20.0	350	400	109.15
SDHP22250	22.0	200	250	99.43
SDHP22450	22.0	400	450	132.98



SDS MAX DRILL BITS

For heavy-duty SDS-max hammer drilling of concrete, natural stone and masonry.

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
MAX12340	12.0	188	340	37.14
MAX12540	12.0	388	540	50.19
MAX13340	13.0	188	340	39.55
MAX13540	13.0	388	540	50.19
MAX14340	14.0	188	340	41.15
MAX14540	14.0	388	540	50.79
MAX14690	14.0	538	690	54.00
MAX15340	15.0	188	340	41.15
MAX15540	15.0	388	540	53.20
MAX16340	16.0	188	340	61.23
MAX16540	16.0	388	540	70.26
MAX16690	16.0	538	690	77.29
MAX18340	18.0	188	340	61.73
MAX18540	18.0	388	540	65.74
MAX20370	20.0	218	370	71.77
MAX20520	20.0	368	520	79.30
MAX20920	20.0	768	920	119.95
MAX22370	22.0	218	370	77.29
MAX22520	22.0	368	520	81.30
MAX22920	22.0	768	920	127.47

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
MAX24370	24.0	218	370	81.30
MAX24520	24.0	368	520	84.11
MAX25320	25.0	168	320	86.32
MAX25520	25.0	368	520	89.33
MAX25920	25.0	768	920	135.50
MAX26370	26.0	218	370	91.34
MAX26520	26.0	368	520	94.35
MAX28370	28.0	218	370	94.35
MAX28570	28.0	418	570	108.40
MAX30370	30.0	218	370	98.37
MAX30570	30.0	418	570	10.41
MAX32370	32.0	218	370	108.40
MAX32570	32.0	418	570	123.66
MAX32920	32.0	768	920	149.56
MAX35570	35.0	418	570	135.50
MAX38570	38.0	418	570	168.63
MAX40570	40.0	418	570	191.71



MASONRY DRILL BITS

Straight Shank • For percussion and rotary drilling in brick, block and natural stone.

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
JMD04085	4.0	50	85	2.00
JMD05085	5.0	50	85	2.00
JMD05150	5.0	90	150	2.88
JMD55100	5.5	60	100	2.00
JMD55150	5.5	90	150	2.88
JMD06100	6.0	60	100	2.25
JMD06150	6.0	90	150	3.09
JMD65100	6.5	60	100	2.25
JMD65150	6.5	90	150	3.09
JMD07100	7.0	60	100	2.46
JMD07150	7.0	90	150	3.30
JMD08120	8.0	80	120	2.80
JMD08150	8.0	90	150	4.01
JMD08200	8.0	140	200	5.09
JMD08300	8.0	240	300	7.10
JMD10120	10.0	80	120	3.82
JMD10150	10.0	90	150	4.89
JMD10200	10.0	140	200	5.97
JMD10300	10.0	240	300	8.52
JMD10400	10.0	300	400	11.73

Part Number	Diameter mm	Working Length mm	Overall Length mm	Price £ Each
JMD12150	12.0	90	150	5.57
JMD12200	12.0	140	200	7.72
JMD12300	12.0	240	300	10.65
JMD12400	12.0	300	400	14.41
JMD14150	14.0	90	150	7.77
JMD14200	14.0	140	200	10.65
JMD14400	14.0	300	400	15.03
JMD16150	16.0	90	150	9.52
JMD16200	16.0	140	200	12.61
JMD16300	16.0	240	300	14.41
JMD16400	16.0	300	400	17.50
JMD18200	18.0	140	200	15.49
JMD20160	20.0	100	160	13.99
JMD20200	20.0	140	200	17.50
JMD20300	20.0	240	300	19.92
JMD20400	20.0	300	400	22.80
JMD25160	25.0	100	160	19.96
JMD25200	25.0	140	200	24.30
JMD25300	25.0	240	300	31.02
JMD25400	25.0	300	400	35.45

MASONRY DRILL BIT SETS

Straight Shank

NEW! AVAILABLE JUNE

Part Number	Description	Price £ Per Each
JMDSET5	Straight Shank Drill Set 5 Piece, 5,5.5, 6, 7 & 8mm	15.00

DRILL BIT SETS

SDS+

NEW! AVAILABLE JUNE

Part Number	Description	Price £ Per Each
SDSET5	SDS Drill Set 5 Piece, 5,5.5, 6, 7 & 8mm	20.00
SDSET8	SDS Drill Set 8 Piece, 5,5.5, 6,6.5, 7, 8, 10 & 12mm	33.00



HIGH SPEED STEEL DRILL BITS

Metric



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSS010	1.0	34	10	1.05
HSS015	1.5	40	10	1.05
HSS016	1.6	43	10	1.05
HSS020	2.0	49	10	1.05
HSS022	2.2	53	10	1.14
HSS024	2.4	57	10	1.14
HSS025	2.5	57	10	1.14
HSS026	2.6	57	10	1.18
HSS028	2.8	61	10	1.18
HSS030	3.0	61	10	1.23
HSS032	3.2	65	10	1.27
HSS033	3.3	65	10	1.32
HSS034	3.4	70	10	1.32
HSS035	3.5	70	10	1.32
HSS036	3.6	70	10	1.40
HSS038	3.8	75	10	1.49
HSS040	4.0	75	10	1.49
HSS042	4.2	75	10	1.67
HSS045	4.5	80	10	1.67
HSS048	4.8	86	10	1.71
HSS050	5.0	86	10	1.80
HSS052	5.2	86	10	2.15
HSS055	5.5	93	10	2.19
HSS058	5.8	93	10	2.37
HSS060	6.0	93	10	2.37

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSS062	6.2	101	10	2.59
HSS064	6.4	101	10	2.59
HSS065	6.5	101	10	2.59
HSS066	6.6	101	10	2.81
HSS068	6.8	109	10	2.81
HSS070	7.0	109	10	3.02
HSS072	7.2	109	10	3.02
HSS075	7.5	109	10	3.38
HSS078	7.8	117	10	3.64
HSS080	8.0	117	10	3.73
HSS082	8.2	117	10	4.21
HSS085	8.5	117	10	4.21
HSS088	8.8	125	10	4.65
HSS090	9.0	125	10	4.65
HSS094	9.4	125	10	5.09
HSS095	9.5	125	10	5.09
HSS098	9.8	133	10	5.35
HSS100	10.0	133	5	5.61
HSS102	10.2	133	5	5.61
HSS105	10.5	133	5	6.49
HSS110	11.0	142	5	7.01
HSS115	11.5	142	5	7.67
HSS120	12.0	151	5	8.11
HSS125	12.5	151	5	9.29
HSS130	13.0	151	5	10.48



HIGH SPEED STEEL DRILL BITS

Imperial • For drilling alloyed carbon and plain steel. Ideal for hand held operations.



Part Number	Diameter inches	Overall Length mm	Pack Quantity	Price £ Per Each
HSSI00116	1/16	43	10	1.05
HSSI00332	3/32	57	10	1.10
HSSI00764	7/64	61	10	1.18
HSSI00108	1/8	65	10	1.18
HSSI00964	9/64	70	10	1.40
HSSI00532	5/32	75	10	1.53
HSSI001164	11/64	80	10	1.71
HSSI00316	3/16	80	10	1.93
HSSI001364	13/64	86	10	2.28

Part Number	Diameter inches	Overall Length mm	Pack Quantity	Price £ Per Each
HSSI00732	7/32	93	10	2.50
HSSI00104	1/4	101	10	2.76
HSSI001764	17/64	109	10	3.51
HSSI00932	9/32	109	10	3.81
HSSI00516	5/16	117	10	4.52
HSSI001132	11/32	125	10	5.39
HSSI00308	3/8	133	10	5.83
HSSI001332	13/32	133	5	7.54
HSSI00716	7/16	142	5	8.59
HSSI00102	1/2	151	5	10.92



HSS COBALT HIGH SPEED STEEL DRILL

Metric • Suitable for high alloyed steels, bearing steels, hot/cold rolled steel. Ideal for stainless steel.



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
COB020	2.0	49	10	3.54
COB025	2.5	57	10	3.80
COB030	3.0	61	10	3.83
COB033	3.3	65	10	4.33
COB035	3.5	70	10	4.48
COB040	4.0	75	10	4.86
COB042	4.2	75	10	5.85
COB045	4.5	80	10	5.93
COB050	5.0	86	10	6.08
COB055	5.5	93	10	7.75
COB060	6.0	93	10	7.98
COB065	6.5	101	10	8.74
COB068	6.8	109	10	9.88
COB070	7.0	109	10	10.26
COB075	7.5	109	10	10.71
COB080	8.0	117	10	11.43
COB085	8.5	117	10	11.70
COB090	9.0	125	10	14.66
COB095	9.5	125	10	17.14
COB100	10.0	133	5	17.86
COB105	10.5	133	5	24.16
COB110	11.0	142	5	26.59
COB115	11.5	142	5	33.74
COB120	12.0	151	5	38.37
COB125	12.5	151	5	45.74
COB130	13.0	151	1	49.39

HIGH SPEED STEEL DRILL BITS

Metric in Wallets



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSW010	1.0	34	3	4.80
HSSW015	1.5	40	3	4.84
HSSW020	2.0	49	3	4.88
HSSW025	2.5	57	3	4.92
HSSW030	3.0	61	3	4.99
HSSW035	3.5	70	2	4.37
HSSW040	4.0	75	2	4.41
HSSW045	4.5	80	2	4.95
HSSW050	5.0	86	2	5.35
HSSW055	5.5	93	2	5.57
HSSW060	6.0	93	2	6.39
HSSW065	6.5	101	1	4.09

Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSW070	7.0	109	1	4.52
HSSW075	7.5	109	1	4.95
HSSW080	8.0	117	1	5.27
HSSW085	8.5	117	1	5.70
HSSW090	9.0	125	1	5.91
HSSW095	9.5	125	1	6.34
HSSW100	10.0	133	1	6.86
HSSW105	10.5	133	1	7.40
HSSW110	11.0	142	1	8.43
HSSW115	11.5	142	1	8.88
HSSW120	12.0	151	1	9.89
HSSW125	12.5	151	1	10.43
HSSW130	13.0	151	1	10.69

HSS REDUCED SHANKS

Metric



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
HSSRS14	14	160	5	18.39
HSSRS15	15	169	5	20.09
HSSRS16	16	178	3	23.46
HSSRS17	18	184	3	32.92
HSSRS18	18	191	3	36.71
HSSRS20	20	205	3	47.57

HSS DRILL BIT CASES

Part Number	Description	Price £ Per Each
HSSTM06	6 Piece HSS Drill Bit Set 2 - 8mm in Plastic Case	20.55
HSSTM10	10 Piece HSS Drill Bit Set 1 - 10mm in Plastic Case	29.82
HSSKM19	19 Piece HSS Drill Bit Set 1 - 10mm in Metal Case	36.60
HSSKM25	25 Piece HSS Drill Bit Set 1 - 13mm in Metal Case	82.35
COBKM19	19 Piece HSS Cobalt Drill Bit Set 1 - 10mm in Metal Case	107.79
COBKM25	25 Piece HSS Cobalt Drill Bit Set 1 - 13mm in Metal Case	150.90



HSS COUNTERSINK BITS

Part Number	Description	Price £ Per Each
HSSCS0803	HSS Countersink 90° 8.3mm (M4)	13.29
HSSCS1004	HSS Countersink 90° 10.4mm (M5)	14.21
HSSCS1204	HSS Countersink 90° 12.4mm (M6)	16.22
HSSCS1205	HSS Countersink 90° 16.5mm (M8)	21.27
HSSCS2005	HSS Countersink 90° 20.50mm (M10)	27.30
HSSCS2500	HSS Countersink 90° 25.0mm (M12)	34.45



COBALT COUNTERSINK BITS



Part Number	Description	Price £ Per Each
COBCS0803	Cobalt Countersink 90° 8.3mm (M3)	17.46
COBCS1004	Cobalt Countersink 90° 10.4mm (M4)	20.34
COBCS1204	Cobalt Countersink 90° 12.4mm (M5)	21.58
COBCS1605	Cobalt Countersink 90° 16.5mm (M6)	26.47
COBCS2005	Cobalt Countersink 90° 20.5mm (M8)	36.41
COBCS2500	Cobalt Countersink 90° 25.0mm (M10)	48.62
COBCS3100	Cobalt Countersink 90° 31mm (M12)	75.29



COBALT SLOTTED COUNTERSINK BITS



Part Number	Description	Price £ Per Each
COBSL0205	Cobalt Slotted Countersink M2-M5 90°	17.46
COBSL0510	Cobalt Slotted Countersink M5-M10 90°	23.38



MULTIDRILL TUNGSTEN CARBIDE UNIVERSAL DRILL

Metric



Part Number	Diameter mm	Overall Length mm	Pack Quantity	Price £ Per Each
MUL040075	4	75	1	8.28
MUL050085	5	85	1	8.65
MUL050150	5	150	1	10.16
MUL055085	5.5	85	1	8.95
MUL055150	5.5	150	1	11.29
MUL060100	6	100	1	9.18
MUL060200	6	200	1	10.53
MUL065100	6.5	100	1	9.33
MUL065200	6.5	200	1	12.94
MUL070100	7	100	1	10.91
MUL070200	7	200	1	13.92
MUL080120	8	120	1	11.96
MUL080200	8	200	1	13.84
MUL100120	10	120	1	13.17
MUL100200	10	200	1	16.18
MUL120220	12	220	1	17.68
MUL140220	14	220	1	20.32
MULSET	4,5,6,8,10	-	1	44.77





FLAT WOOD BITS

Part Number	Diameter mm	Overall Length mm	Price £ Each
FW06	6	158	4.13
FW08	8	158	4.13
FW10	10	158	4.33
FW12	12	158	4.41
FW13	13	158	4.41
FW14	14	158	4.56
FW16	16	158	4.76
FW18	18	158	4.76
FW19	19	158	4.76
FW20	20	158	5.38
FW22	22	158	5.38
FW24	24	161	5.58
FW25	25	161	5.58
FW28	28	161	7.41
FW30	30	174	7.41
FW32	32	174	8.07
FW35	35	174	9.28
FW38	38	174	9.48



CENTRE SPUR WOOD BITS

Part Number	Diameter mm	Overall Length mm	Price £ Each
TP03	3	60	2.38
TP04	4	70	2.38
TP05	5	85	2.50
TP06	6	90	2.65
TP07	7	105	3.04
TP08	8	110	3.28
TP09	9	115	3.59
TP10	10	120	4.06
TP12	12	140	5.58



The image features a large, stylized background of blue and white smoke or steam rising from a dark base. In the foreground, there is a collection of JCP Construction Products bags. The bags are blue and red, with the JCP logo prominently displayed. The bags contain various construction hardware items, including screws, bolts, and nuts. The text 'JCP CONSTRUCTION PRODUCTS' is written in white on a blue background, and 'THE MERCHANDISED BAG RANGE' is written in black on a white background.

JCP
**CONSTRUCTION
PRODUCTS**

THE MERCHANDISED BAG RANGE

THE MERCHANDISED BAG RANGE



Trade and Retail Packaging

The new JCP packaging is full of information, making it user-friendly and enabling correct product selection and application.

Available in two ranges;

TRADE

The JCP branded trade bag range covers popular products and sizes. The packaging is robust, re-sealable, drop-proof, water-resistant, easy to identify, and an ideal size to carry.



RETAIL

The JCP retail range follows a similar offering to the pouch bag range, conveniently packed in small pack quantities.



Categorised into one of four categories, each product is clearly colour coded on the front label. The label also shows base material icons which the product is recommended for.



Heavy Duty



Nylon & Cavity



Medium Duty



Self Drilling Screws




The see-through bags allow for quick product identification whilst the image on the front clearly depicts its use. Clear instructions for installation can be found on the rear, along with extended technical details ensuring the application is correct.

A QR code allows the user to quickly scan the product and be taken to the technical data sheet online courtesy of the JCP website.

DETAILED TECHNICAL PACKAGING

- INSTALLATION INSTRUCTIONS.
- EXTENDED TECHNICAL DETAILS.
- A QR CODE TAKING YOU TO THE TECHNICAL DATA SHEET.



SMALL RETAIL STAND



SMALL RETAIL STAND

Height: 1.4m (excludes header board)
Width: 1m
Part Number: FIXSTAND1
2985 pieces



LARGE RETAIL STAND

Height: 2.1m (excludes header board)
Width: 1m
Part Number: FIXSTAND2
4714 pieces

LARGE RETAIL STAND

NEW FOR 2020

THE JCP MERCHANDISING RETAIL STAND DEALS

We have developed two new point of sale stand deals to allow the JCP retail range to be easily displayed for maximum return.

Each stand combination has been carefully compiled to ensure it contains the best-selling items within the JCP retail range.

With the option of a small or large stand, the range of small quantity bagged fixings can be presented clearly; engaging customers and providing a complete merchandising solution. The handy shelf at the bottom also allows for a range of resins and other non-hangable products to be kept within the branded bay.

Both stand combinations offer a mixed range of Heavy-duty, Medium duty, Self-drilling screws and Nylon and Cavity fixings.

Suitably robust for its intended environment and the products it holds, the stand can be easily replenished with items from across the JCP retail range.

For more information on our retail stand deals, please contact us for pricing and a brochure.

**THE RANGE OF SMALL QUANTITY
BAGGED FIXINGS CAN BE PRESENTED
CLEARLY; ENGAGING CUSTOMERS
AND PROVIDING A COMPLETE
MERCHANDISING SOLUTION.**

The Specialist Fixing Supplier

Exclusively to the Distributor

JCP
CONSTRUCTION
PRODUCTS

HEAVY DUTY



THROUGHBOLTS

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8100	M8 x 65mm	6	8	2.73
JB8103	M8 x 100mm	6	8	2.94
JB8106	M10 x 75mm	4	10	2.73
JB8109	M10 x 90mm	4	10	2.94
JB8112	M10 x 120mm	4	10	3.57
JB8115	M12 x 100mm	4	12	3.57
JB8118	M16 x 125mm	2	16	4.20



Concrete



HEX NUT SLEEVE ANCHORS

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8200	8mm x 85mm	6	8	2.57
JB8203	10mm x 75mm	4	10	2.42
JB8206	10mm x 100mm	4	10	2.73
JB8209	12mm x 75mm	4	12	2.94
JB8212	12mm x 100mm	4	12	3.26



Concrete



Solid Brick



ANKERBOLTS

Flange Head

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8300	6mm x 50mm	6	6	2.21
JB8303	6mm x 75mm	6	6	2.57
JB8306	6mm x 100mm	4	6	2.57



Concrete



Solid Brick



Stone



ANKERBOLTS

Hex Head

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8309	8mm x 60mm	4	8	2.57
JB8312	8mm x 75mm	4	8	2.94
JB8315	8mm x 100mm	4	8	3.57
JB8317	8mm x 150mm	4	8	3.95
JB8318	10mm x 75mm	4	10	3.89
JB8321	10mm x 100mm	4	10	4.52
JB8324	10mm x 150mm	2	10	3.89



Concrete

Solid/Hollow
Brick

Stone

For additional technical information see main product page.



ANKERBOLTS

Countersunk Head

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8327	6mm x 75mm	6	6	2.57
JB8330	6mm x 100mm	4	6	2.73



Concrete



Solid Brick



Stone



ANKERBOLTS

Eyebolts

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8333	6mm x 50mm	2	6	2.94



Concrete



Solid Brick



Stone

MEDIUM DUTY



SHIELD ANCHORS

Loose Bolt

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter	Price £ Per Bag
JB8000	M6 x 10mm	10	12	4.20
JB8003	M6 x 25mm	10	12	4.52
JB8006	M8 x 10mm	6	14	3.89
JB8009	M8 x 25mm	6	14	4.20
JB8012	M8 x 40mm	6	14	4.52
JB8015	M10 x 10mm	4	16	4.20
JB8018	M10 x 25mm	4	16	4.52
JB8021	M10 x 50mm	4	16	4.83
JB8024	M10 x 75mm	4	16	5.46
JB8027	M12 x 10mm	2	20	3.57
JB8030	M12 x 25mm	2	20	3.89
JB8033	M12 x 60mm	2	20	4.52



Concrete



Brick



SHIELD ANCHORS

Projecting Bolt

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter	Price £ Per Bag
JB8039	M6 x 10mm	6	12	2.94
JB8042	M8 x 15mm	6	14	4.20
JB8045	M8 x 80mm	4	14	3.89
JB8048	M10 x 30mm	4	16	4.83
JB8051	M10 x 70mm	4	16	5.46
JB8054	M12 x 50mm	2	20	4.20



Concrete



Brick

For additional technical information see main product page.



SHIELD ANCHORS

Eye Bolt

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8060	M8 Eye Bolt	4	14	4.83



Concrete



Solid Brick



CONCRETE SCREWS

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8700	7.5mm x 60mm	20	6	2.94
JB8703	7.5mm x 80mm	20	6	3.89
JB8706	7.5mm x 100mm	20	6	4.20
JB8709	7.5mm x 120mm	10	6	3.26
JB8712	7.5mm x 150mm	10	6	3.89



Concrete/
Concrete Block



Brick/Stone/
Masonry

NYLON AND CAVITY



NYLON FRAME FIXINGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8400	8mm x 60mm	10	8	2.31
JB8403	8mm x 80mm	10	8	2.57
JB8406	8mm x 100mm	10	8	2.94
JB8409	8mm x 120mm	10	8	3.26
JB8412	10mm x 100mm	6	10	2.94
JB8415	10mm x 120mm	6	10	3.26
JB8418	10mm x 140mm	6	10	3.57
JB8421	10mm x 160mm	6	10	3.89



Concrete/
Concrete Block



Solid Brick



Stone



NYLON HAMMER SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8427	6mm x 60mm	20	6	2.10
JB8430	6mm x 40mm	20	6	2.31
JB8433	8mm x 80mm	10	8	2.42
JB8436	8mm x 100mm	10	8	2.94
JB8439	8mm x 120mm	10	8	3.26



Concrete/
Concrete Block



Solid Brick



Stone

For additional technical information see main product page.



WALL PLUGS

Plastic

Part Number	Colour	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8500	Red	50	6	2.00
JB8503	Brown	50	7	2.10



Concrete/
Concrete Block



Solid Brick



Stone



WALL PLUGS

Nylon

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8509	6mm	40	6	2.21
JB8512	8mm	40	8	2.57
JB8515	10mm	20	10	2.73



Concrete/
Concrete Block



Solid Brick



Stone



WALL PLUGS

Universal

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8521	6mm x 35mm	40	6	2.57
JB8524	8mm x 50mm	40	8	3.26



Concrete/
Concrete Block



Solid/Hollow
Brick



Stone



ROSETT CAVITY FIXING

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8600	Blue Rosett M5 x 55mm	6	10	4.20
JB8603	Blue Rosett M5 x 80mm	6	10	4.20
JB8606	Red Rosett M5 x 65mm	6	10	4.20
JB8609	Red Rosett M5 x 90mm	6	10	4.20



Plasterboard



PLASTERBOARD FIXINGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8615	Metal Plasterboard Fixing up to 15mm	6	N/A	1.89
JB8618	Metal Plasterboard Fixing up to 15mm	20	N/A	3.57
JB8621	Nylon Plasterboard Fixing up to 10mm	6	N/A	1.89
JB8624	Nylon Plasterboard Fixing up to 10mm	20	N/A	3.57



Plasterboard

For additional technical information see main product page.



PLASTERBOARD PLUGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8663	Plasterboard Plug	20	7	2.73



Plasterboard/
Partition Materials



HOLLOW WALL ANCHORS

Zinc Plated and
Yellow Passivated

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8630	M4 x 45mm 8-13mm wall thickness	10	7	2.42
JB8633	M5 x 45mm 5-10mm wall thickness	10	9	2.94
JB8636	M6 x 60mm 7-13mm wall thickness	10	10	3.57



Plasterboard/
Partition Materials



Hollow Bricks/
Clay Pots



SPRING TOGGLES

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8642	M5 x 50mm	6	14	2.57
JB8645	M5 x 75mm	6	14	2.94
JB8648	M6 x 75mm	6	18	3.26



Plasterboard/
Partition Materials



Hollow Bricks/
Clay Pots



NYLON TOGGLES

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8654	Nylon Toggle wall thickness 4-12mm	20	10	2.73
JB8657	Nylon Toggle wall thickness 15-19mm	20	10	2.94



Plasterboard/
Partition Materials



Hollow Bricks/
Clay Pots

For additional technical information see main product page.

SELF DRILLING SCREWS



MASONRY NAILS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8900	2.5 x 25mm	30	N/A	1.68
JB8903	2.5 x 60mm	25	N/A	1.68
JB8906	2.5 x 40mm	20	N/A	1.68
JB8909	3.0 x 50mm	14	N/A	1.68
JB8912	3.0 x 60mm	12	N/A	1.68
JB8915	3.5 x 75mm	7	N/A	1.68



Concrete



Solid Brick



Stone



BIGTWIST NAILS

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8921	8 x 165mm	10	N/A	7.25
JB8924	8 x 195mm	10	N/A	8.09



Timber



Composite Sections



SANITARY FIXINGS

Part Number	Description	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8945	Basin Fixing Set 10mm x 140mm	2	14	2.94
JB8948	WC Fixing Set 6mm x 70mm	2	8	2.31



Concrete



Brick



Stone



WALL SCREWS

Countersunk Head

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8953	5 x 32	20	5	2.00
JB8956	5 x 38	20	5	2.25
JB8959	5 x 50	20	5	2.50

Concrete/
Concrete BlockSolid/Hollow
BrickWood/
Wall-Board

Stone



WALL SCREWS

Pan Head

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8962	5 x 32	20	5	2.00
JB8965	5 x 38	20	5	2.25
JB8968	5 x 50	20	5	2.50

Concrete/
Concrete BlockSolid/Hollow
BrickWood/
Wall-Board

Stone



SELF DRILL SCREWS 16MM WASHER

Light Section

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8800	5.5 x 25mm	30	N/A	2.94
JB8803	5.5 x 32mm	30	N/A	3.26
JB8806	5.5 x 38mm	20	N/A	2.73
JB8809	5.5 x 50mm	20	N/A	3.26



Light Steel
Sections



SELF DRILL SCREWS

Light Section

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8815	5.5 x 25mm	30	N/A	2.73
JB8818	5.5 x 38mm	30	N/A	2.94
JB8821	5.5 x 50mm	30	N/A	3.26



Light Steel
Sections



SELF DRILL SCREWS 16MM WASHER

Heavy Section

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8827	5.5 x 32mm	20	N/A	2.73
JB8830	5.5 x 40mm	20	N/A	2.94
JB8833	5.5 x 50mm	20	N/A	3.26



Heavy Steel
Sections



WOODFIX SCREWS

Light Section

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8863	5.5 x 40mm	30	N/A	2.73
JB8866	5.5 x 50mm	30	N/A	2.94
JB8869	5.5 x 60mm	20	N/A	2.57
JB8872	5.5 x 80mm	20	N/A	3.26
JB8875	5.5 x 100mm	20	N/A	4.20



Light Steel
Sections



Timber



WOODFIX SCREWS

Heavy Section

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8881	5.5 x 60mm	20	N/A	2.94
JB8884	5.5 x 85mm	20	N/A	3.89
JB8887	5.5 x 109mm	20	N/A	4.83



Light Steel
Sections



Timber

For additional technical information see main product page.



GASH POINT SCREWS-16MM WASHER

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8848	6.3 x 32mm	30	N/A	3.26
JB8851	6.3 x 45mm	30	N/A	3.89



Thin Steel
Sections

Timber



STITCHING SCREWS-16MM WASHER

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8857	6.3 x 25mm	30	N/A	2.94



Thin Steel
Sections



EPDM WASHERS

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8839	16mm	50	N/A	2.21
JB8842	19mm	50	N/A	2.57



Steel
Sections



WAFER HEAD SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8893	4.2 x 13mm	30	N/A	1.79



Light Steel
Sections



DRIVE SOCKETS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8899	5/16" Magnetic Socket	1	N/A	2.94



PLASTIC HEADED PINS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JB8931	2 x 30mm	25	N/A	2.16
JB8934	2 x 40mm	25	N/A	2.33
JB8937	2 x 30mm	25	N/A	2.16
JB8940	2 x 40mm	25	N/A	2.33



Concrete

Solid Brick



Stone

For additional technical information see main product page.

HEAVY DUTY



THROUGHBOLTS

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3042	M8 x 50mm	40	8	10.16
JP3045	M10 x 100mm	18	10	10.16
JP3048	M12 x 100mm	12	12	10.16
JP3051	M12 x 140mm	10	12	10.16
JP3054	M12 x 180mm	8	12	10.16



Concrete



ANKERBOLTS

Flange Head

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3066	5mm x 50mm	64	5	11.50
JP3069	6mm x 50mm	30	6	11.50
JP3072	6mm x 75mm	26	6	11.50
JP3075	6mm x 100mm	20	6	11.50



Concrete



Brick



Stone



ANKERBOLTS

Hex Head

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3078	8mm x 60mm	18	8	11.50
JP3081	8mm x 75mm	14	8	11.50
JP3084	8mm x 100mm	12	8	11.50
JP3087	8mm x 150mm	8	8	11.50
JP3090	10mm x 75mm	12	10	11.50
JP3093	10mm x 100mm	8	10	11.50
JP3096	10mm x 130mm	6	10	11.50
JP3099	10mm x 150mm	6	10	11.50



Concrete



Brick



Stone

MEDIUM DUTY



SHIELD ANCHORS

Loose Bolt

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ per Bag
JP3147	M6 x 10mm	48	12	12.86
JP3150	M6 x 25mm	46	12	12.86
JP3153	M8 x 10mm	26	14	12.86
JP3156	M8 x 25mm	26	14	12.86
JP3159	M8 x 40mm	22	14	12.86
JP3162	M10 x 10mm	22	16	12.86
JP3165	M10 x 25mm	116	16	12.86
JP3168	M10 x 50mm	14	16	12.86
JP3171	M10 x 75mm	14	16	12.86
JP3174	M12 x 60mm	10	20	12.86



Concrete



Brick



SHIELD ANCHORS

Projecting Bolt

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3177	M10mm x 30mm	15	16	12.86



Concrete



Brick



CONCRETE SCREWS

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3030	7.5mm x 80mm	65	6	8.12
JP3033	7.5mm x 100mm	55	6	8.12
JP3036	7.5mm x 120mm	45	6	8.12
JP3039	7.5mm x 150mm	30	6	8.12

Concrete/
Concrete BlockBrick/Stone/
Masonry

NYLON AND CAVITY



NYLON FRAME FIXINGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3000	8mm x 80mm	50	8	5.73
JP3003	8mm x 100mm	40	8	5.73
JP3006	10mm x 100mm	30	10	5.73
JP3009	10mm x 120mm	25	10	5.73
JP3012	10mm x 140mm	20	10	5.73
JP3015	10mm x 160mm	15	10	5.73

Concrete/
Concrete Block

Solid Brick



Stone



NYLON HAMMER SCREWS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3018	6mm x 40mm	135	6	5.73
JP3021	6mm x 60mm	100	6	5.73
JP3024	8mm x 80mm	50	8	5.73
JP3027	8mm x 100mm	40	8	5.73

Concrete/
Concrete Block

Solid Brick



Stone



WALL PLUGS

Nylon

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3183	6mm	200	6	3.36
JP3186	8mm	100	8	3.36
JP3189	10mm	70	10	3.36

Concrete/
Concrete Block

Solid Brick



Stone



METAL PLASTERBOARD FIXINGS

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3057	Up to 15mm	75	N/A	10.16



Plasterboard



HOLLOW WALL ANCHORS

Zinc Plated and
Yellow Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3060	M6 x 60mm	40	10	10.16



Plasterboard/
Partition Materials



Hollow Bricks/
Clay Pots



ROSETT CAVITY FIXING

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3063	M5 x 55mm	10	10	10.16



Plasterboard

SELF DRILLING SCREWS



GASH POINT SCREWS-16MM WASHER

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3102	6.3mm x 32mm	120	N/A	11.50
JP3105	6.3mm x 45mm	90	N/A	11.50



Thin Steel
Sections



Timber



SELF DRILL SCREWS

Light Section

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3108	5.5mm x 25mm	200	N/A	11.50
JP3111	5.5mm x 32mm	160	N/A	11.50
JP3114	5.5mm x 38mm	150	N/A	11.50
JP3117	5.5mm x 50mm	150	N/A	11.50



Light Steel
Sections



SELF DRILL SCREWS 16MM WASHER

Light Section

Zinc Plated and
Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3120	5.5mm x 25mm	140	N/A	11.50
JP3123	5.5mm x 38mm	110	N/A	11.50
JP3126	5.5mm x 50mm	85	N/A	11.50



Light Steel
Sections

For additional technical information see main product page.



SELF DRILL SCREWS 16MM WASHER

Heavy Section

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3129	5.5mm x 40mm	100	N/A	11.50



Heavy Steel Sections



STITCHING SCREWS-16MM WASHER

Zinc Plated and Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3132	6.3mm x 25mm	120	N/A	11.50



Thin Steel Sections



WOODFIX SCREWS

Light Section

Zinc Plated and Clear Passivated

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3135	5.5mm x 40mm	100	N/A	11.50
JP3138	5.5mm x 50mm	100	N/A	11.50
JP3141	5.5mm x 60mm	100	N/A	11.50
JP3144	5.5mm x 80mm	100	N/A	11.50



Light Steel Sections



Timber



WALL SCREWS

Countersunk Head

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3192	5 x 32	100	5	7.50
JP3195	5 x 38	100	5	8.00
JP3198	5 x 50	100	5	8.50



Concrete/Concrete Block



Solid/Hollow Brick



Wood/Wall-Board



Stone



WALL SCREWS

Pan Head

Part Number	Size	Quantity in a Bag	Drill Diameter mm	Price £ Per Bag
JP3201	5 x 32	100	5	7.50
JP3204	5 x 38	100	5	8.00
JP3207	5 x 50	100	5	8.50



Concrete/Concrete Block



Solid/Hollow Brick



Wood/Wall-Board



Stone

For additional technical information see main product page.



The Polybag and Minibag Carded Range





SHIELD ANCHOR

Projecting Bolt

POLYBAG RANGE				MINIBAG RANGE				Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag			
APBBAG0610	10	5	14.36	AB105	2	10	5.35	6	12	10
APBBAG0625	10	5	15.03	AB106	2	10	5.49	6	12	25
APBBAG0650	10	5	17.55	AB107	2	10	5.98	6	12	50
APBBAG0815	10	5	19.08	AB108	2	10	6.11	8	14	15
APBBAG0840	10	5	24.13	AB110	2	10	6.38	8	14	40
APBBAG0880	10	5	27.09	AB111	2	10	7.18	8	14	80
APBBAG1030	10	5	32.22	AB115	2	10	8.48	10	16	30
APBBAG1070	10	5	41.59	AB116	2	10	9.19	10	16	70
APBBAG1215	5	5	26.08	AB117	2	10	13.61	12	20	15
APBBAG1250	5	5	30.94	AB118	2	10	15.17	12	20	50



SHIELD ANCHOR

Loose Bolt

POLYBAG RANGE				MINIBAG RANGE				Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag			
ALBBAG0610	10	5	14.26	AB135	2	10	5.58	6	12	10
ALBBAG0625	10	5	15.47	AB136	2	10	5.71	6	12	25
ALBBAG0640	10	5	17.68	AB137	2	10	5.89	6	12	40
ALBBAG0810	10	5	20.02	AB140	2	10	6.29	8	14	10
ALBBAG0825	10	5	22.32	AB141	2	10	6.60	8	14	25
ALBBAG0840	10	5	24.97	AB142	2	10	7.00	8	14	40
ALBBAG1010	10	5	30.95	AB143	2	10	8.48	10	16	10
ALBBAG1025	10	5	34.61	AB145	2	10	8.66	10	16	25
ALBBAG1050	10	5	38.67	AB146	2	10	10.04	10	16	50
ALBBAG1075	10	5	42.12	AB147	2	10	10.89	10	16	75
ALBBAG1210	5	5	22.54	AB148	2	10	13.97	12	20	10
ALBBAG1225	5	5	26.65	AB149	2	10	15.62	12	20	25
ALBBAG1240	5	5	30.72	AB150	2	10	16.51	12	20	40
ALBBAG1260	5	5	32.31	AB151	2	10	17.89	12	20	60



SHIELD ANCHOR

Eye Bolt

POLYBAG RANGE				MINIBAG RANGE				Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag			
AEBBAGM08	10	5	30.72	AB165	2	10	9.99	8	14	N/A



SHIELD ANCHOR

Hook Bolt

POLYBAG RANGE				MINIBAG RANGE				Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag			
AHBBAGM08	10	5	30.71	AB170	2	10	9.99	8	14	N/A

For additional technical information see main product page.



METAL PLASTERBOARD FIXING WITH SCREW

POLYBAG RANGE				MINIBAG RANGE						
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
JJPBAG15	20	5	10.25	AB315	6	10	4.51	4.5	25	15



NYLON PLASTERBOARD FIXING WITH SCREW

POLYBAG RANGE				MINIBAG RANGE						
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
JJPNBAG10	20	5	7.96	AB320	6	10	3.67	4.5	30	10



ROSETT CAVITY FIXING

Torx 25 Drive

POLYBAG RANGE					MINIBAG RANGE				
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag		Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	
BRBAG05055	6	10	5.47	Blue Rosett 5mm x 55mm	RRBAG05065	6	10	5.54	Red Rosett 5mm x 65mm
BRBAG05080	6	10	5.71	Blue Rosett 5mm x 80mm	RRBAG05090	6	10	5.89	Red Rosett 5mm x 90mm
BRBAGHOOK	4	10	5.92	Blue Rosett Hook	RRBAGHOOK	4	10	5.98	Red Rosett Hook



PLASTIC TOGGLE

POLYBAG RANGE				MINIBAG RANGE						
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
NTBAG10	50	5	13.66	AB505	6	10	3.60	8	4.5	4-12
NTBAG12	50	5	14.32	AB510	6	10	3.60	8	4.5	15-19
NTBAG16	50	5	14.81	AB515	6	10	3.60	8	4.5	24-28



HOLLOW WALL ANCHORS

POLYBAG RANGE				MINIBAG RANGE						
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Thread Diameter mm	Screw Length mm	Max. Fixture Thickness mm
LHWABAG04045	10	5	4.55	AB330	4	10	3.30	8	4 x 45	8-13
LHWABAG04050	10	5	5.22	AB335	4	10	3.39	8	4 x 50	16-20
LHWABAG05045	10	5	7.29	AB340	4	10	4.10	10	5 x 45	5-10

For additional technical information see main product page.



SPRING TOGGLES WITH SCREW

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
LSTBAG05050	10	5	5.48
LSTBAG05075	10	5	6.36
LSTBAG06075	10	5	8.18

MINIBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB360	4	10	3.61
AB365	4	10	3.88
AB366	4	10	4.60

Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
14	5 x 50	20
14	5 x 75	45
18	6 x 75	45



MASONRY NAILS

MINIBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
BR725	30	10	1.43
BR730	25	10	1.43
BR740	20	10	1.43
BR750	14	10	1.43
BR760	12	10	1.43
BR775	7	10	1.43
BR7100	5	10	1.43

Shank Diameter mm	Shank Length mm
2.50	25
2.50	30
2.50	40
3.00	50
3.00	60
3.50	75
3.50	100



NYLON FRAME FIXINGS

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NFFBAG08060	20	5	9.10
NFFBAG08080	20	5	9.55
NFFBAG08100	20	5	10.92
NFFBAG08120	20	5	14.81
NFFBAG10100	20	5	15.47
NFFBAG10115	20	5	18.21
NFFBAG10135	20	5	21.39
NFFBAG10160	10	5	14.81

MINIBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB400	4	10	3.44
AB405	4	10	3.79
AB406	4	10	4.10
AB407	4	10	4.60
AB410	4	10	5.67
AB411	4	10	5.98
AB415	4	10	7.00
AB416	4	10	7.81

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
60	8	20
80	8	40
100	8	60
120	8	80
100	10	55
120	10	70
140	10	90
160	10	115



NYLON HAMMERSCREWS

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NHSBAG05050	50	5	9.55
NHSBAG06040	50	5	10.03
NHSBAG06050	50	5	11.01
NHSBAG06070	50	5	12.99
NHSBAG08080	20	5	8.66
NHSBAG08100	20	5	10.47
NHSBAG08120	20	5	12.29

MINIBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB435	8	10	2.90
AB436	10	10	3.12
AB440	10	10	3.30
AB445	10	10	3.79
AB446	10	10	5.04
AB450	8	10	5.49
AB451	8	10	6.42

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
50	5	25
40	6	10
50	6	20
70	6	40
80	8	40
100	8	60
120	8	80

For additional technical information see main product page.



CONCRETE SCREWS

POLYBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
CSBAG75060	20	5	8.49
CSBAG75080	20	5	9.01
CSBAG75100	20	5	10.51
CSBAG75120	20	5	14.27
CSBAG75150	10	5	16.01

MINIBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB491	4	10	3.31
AB492	4	10	3.70
AB493	4	10	3.99
AB494	4	10	4.48
AB495	4	10	5.35

Plug Length mm	Drill Diameter mm	Max. Fixture Thickness mm
60	6	20
80	6	40
100	6	60
120	6	80
150	6	110



UNIVERSAL PLUG

POLYBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NUPBAG06035	50	5	6.85
NUPBAG08050	50	5	10.25

MINIBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB305	10	10	3.61
AB310	10	10	4.10

Plug Length mm	Drill Diameter mm	Screw Diameter No
40	6	6-8
50	8	10-12



NYLON PLUG

POLYBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
NPBAG06	50	5	3.62
NPBAG07	50	5	4.55
NPBAG08	50	5	4.99

MINIBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB530	20	10	2.77
AB535	20	10	3.21
AB540	20	10	3.30

Plug Length mm	Drill Diameter mm	Screw Diameter No
30	6	6-8
35	7	8-12
40	8	10-12



PLASTERBOARD PLUG

POLYBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
PPBAG07	25	5	6.71

MINIBAG RANGE			
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB545	10	10	4.46

Plug Length mm	Drill Diameter mm	Screw Diameter No
-	7	8

For additional technical information see main product page.



SLEEVE ANCHORS

Hexagon Nut

POLYBAG RANGE				MINIBAG RANGE						
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
SLNBAG08065	10	5	7.96	AB200	2	10	3.32	6	8	30
SLNBAG08085	10	5	8.18	AB205	2	10	3.75	6	8	50
SLNBAG10050	10	5	8.44	AB206	2	10	3.70	8	10	8
SLNBAG10075	10	5	9.77	AB210	2	10	3.70	8	10	35
SLNBAG10100	10	5	13.21	AB211	2	10	4.24	8	10	62
SLNBAG12075	10	5	14.32	AB215	2	10	4.33	10	12	22
SLNBAG12100	10	5	18.65	AB216	2	10	5.53	10	12	45
SLNBAG16110	5	5	13.44	AB217	2	10	7.82	12	16	49



SLEEVE ANCHORS

Eye Bolt

MINIBAG RANGE							
Eye Bolt	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Thread Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
	AB235	2	10	4.11	6	8	N/A
Hookbolt	AB240	2	10	4.11	6	8	N/A



THROUGHBOLT

POLYBAG RANGE				MINIBAG RANGE						
Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Plug Length mm	Drill Diameter mm	Screw Diameter No
TBBAG08065	10	5	9.55	AB250	2	10	3.21	8	8	20
TBBAG08100	10	5	11.84	AB251	2	10	3.52	8	8	55
TBBAG10075	10	5	12.29	AB252	2	10	4.02	10	10	18
TBBAG10090	10	5	12.99	AB253	2	10	4.15	10	10	33
TBBAG10120	10	5	15.47	AB254	2	10	4.46	10	10	63
TBBAG12100	5	5	10.92	AB255	2	10	5.18	12	12	25
TBBAG16125	5	5	19.14	AB256	2	10	8.12	16	16	30

For additional technical information see main product page.



ANKERBOLTS

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
JABBAG06050	10	5	4.15
JABBAG08050	10	5	6.29
JABBAG08075	10	5	7.98
JABBAG08100	10	5	9.26
JABBAG10060	10	5	8.49
JABBAG10075	10	5	10.40
JABBAG10100	10	5	12.38
JABBAG12075	10	5	12.56
JABBAG12100	10	5	16.82
JABBAG12150	10	5	24.94
JABBAG08050CS	10	5	9.59
JABBAG08075CS	10	5	10.11
JABBAG08100CS	10	5	11.17
JABBAG08050H	10	5	23.36
JABBAG08050E	10	5	35.10

MINIBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
AB600	2	10	2.69
AB601	2	10	3.12
AB602	2	10	3.54
AB603	2	10	3.76
AB604	2	10	3.66
AB605	2	10	3.86
AB606	2	10	4.19
AB607	2	10	4.52
AB608	2	10	5.37
AB609	2	10	6.35
AB610	2	10	4.83
AB611	2	10	5.26
AB612	2	10	5.47
AB613	2	10	6.35
AB614	2	10	8.49

Anchor Diameter mm	Drill Diameter mm	Max. Fixture Thickness mm
6	5	20
8	6	20
8	6	45
8	6	55
10	8	20
10	8	35
10	8	60
12	10	25
12	10	50
12	10	100
8	6	20
8	6	45
8	6	55
8	6	-
8	6	-



WOODFIX LIGHT SECTION

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
WFLBAG55040	50	5	10.70
WFLBAG55050	50	5	11.42
WFLBAG55060	50	5	14.20
WFLBAG55080	50	5	15.47
WFLBAG55100	50	5	18.21
WFLBAG55110	50	5	19.92

Screw Length mm	Max Fixture Thickness mm
40	22
50	32
60	42
80	62
100	82
110	92



WOODFIX HEAVY SECTION

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag
WFHBAG55050	50	5	13.99
WFHBAG55060	50	5	15.57
WFHBAG55070	50	5	17.64
WFHBAG55085	50	5	19.41
WFHBAG55109	50	5	24.81

Screw Length mm	Max Fixture Thickness mm
50	23
60	33
70	43
85	58
109	82

For additional technical information see main product page.



METALFIX LIGHT SECTION - NO WASHER

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
MFLBAG55025	50	5	9.35	25	10
MFLBAG55032	50	5	10.48	32	17
MFLBAG55038	50	5	11.35	38	23
MFLBAG55050	50	5	11.87	50	36



METALFIX LIGHT SECTION - 19MM WASHER

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
MFLBAG55025W19	50	5	12.66	25	7
MFLBAG55032W19	50	5	13.19	32	14
MFLBAG55038W19	50	5	13.70	38	20
MFLBAG55050W19	50	5	15.26	50	32



METALFIX HEAVY SECTION - 19MM WASHER

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
MFHBAG55022W19	50	5	15.13	22	1.2
MFHBAG55032W19	50	5	15.61	32	2
MFHBAG55040W19	50	5	16.20	40	10
MFHBAG55050W19	50	5	16.77	50	20



GASHPOINT SCREW - 19MM WASHER

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
GPBAG63032W19	50	5	14.33	32	1.4
GPBAG63045W19	50	5	16.30	45	1.4



STITCHING SCREW - 19MM WASHER

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
SSBAG63025W19	50	5	13.70	25	2 x 0.9



LOOSE EDPM WASHER

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
MFWBAG16	100	5	10.06	-	-
MFWBAG19	100	5	11.83	-	-



WAFER HEAD SCREW

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
WHBAG4213	200	5	19.08	13	1



5/16" DRIVE SOCKET

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
MFBAG516	1	5	6.12	-	-



MERLIN GREY - 19MM COVER CAP

POLYBAG RANGE

Part Number	Quantity in Bag	Quantity of Bags Per Outer	Price £ Per Bag	Screw Length mm	Max Fixture Thickness mm
MFCBAG19MG	100	5	6.42	-	-

INDEX



Alloy Nail In Anchors	31	Imperial High Speed Steel Drill Bits	67	Spin In Capsules	37
Alpen Drill Bits	64-69	Injection Resin Internally Threaded Sockets	40	Spring Toggles	51,78,90
Angle Bracket	33	Injection Tool Accessories	41	Stainless Steel Brad Nails	53
Ankerbolts	14-16,74-75,82,93	Injection Tools	41	Stainless Steel Heavy Duty Blind Bolts	26
Ankerbolt Drop In Anchor	16	Internal Threaded Sockets	40	Stainless Steel A2 Eye Bolt Sleeve Anchor	19
Ankerbolt Drop In Setting Tool	17	Intumescent and Acoustic Mastic	42	Stainless Steel A2 Fixing Band	34
Ankernut	50	JCP Bulk Plastic Plugs	48	Stainless Steel A2 Hammer Screws	45
Applicator Guns	44	JCP Premium Plastic Plugs	49	Stainless Steel A2 Internal Threaded Sockets	40
B1 Rated Expanding Foam	44	JCP Standard Plastic Plugs	48	Stainless Steel A2 J Fix Studs	39
B2 Rated Expanding Foam	43	J-Fix Studs	38-39	Stainless Steel A2 Metalfix	60
B3 Rated Expanding Foam	43	J-Plug Plasterboard Fixing	49	Stainless Steel A2 Metalfix Stitching Screw	61
Basin Fixings	32	J-Plug Plasterboard Kit	49	Stainless Steel A2 Sleeve Anchor	19
Bigtwist Nails	34,79	Kwikset	37	Stainless Steel A2 Stitching Bar	43
Bi-Metallic Metalfix	60-61	Light Duty	31-34	Stainless Steel A2 Throughbolts	12
Blind Bolts	25-27	Lipped Drop In Anchors	20	Stainless Steel A2 Thin Wall Bolts	16
Blow Out Pump	42	Loose Bolt Shield Anchors	28,75,83,88	Stainless Steel A4 Blind Bolts	25
Brad Nails and Gas	53	Low Profile Metalfix	59	Stainless Steel A4 Drop In Anchors	21
Cartridge Strips	54	Magazine Pins	55	Stainless Steel A4 Heavy Duty Anchors	24
Cartridge Tool	54	Magnetic Drive Sockets	59,81,95	Stainless Steel A4 Internal Threaded Sockets	40
Ceiling Hanger	54	Masonry Drill Bits	65	Stainless Steel A4 J Fix Studs	39
Cementitious Grout	43	Masonry Nails	31,79,90	Stainless Steel A4 Lipped Drop In Anchors	21
Centre Spur Wood Bits	70	Masonry Nails with 8mm Washer	31	Stainless Steel A4 Nylon Frame Fixing	47
Chemical Anchors and Accessories	35-44	Mechanical Galvanised Ankerbolts	15	Stainless Steel A4 Shield Anchors	29
Cleaning Brushes	42	Medium Duty	28-30	Stainless Steel A4 Sleeve Anchor	19
Cobalt Countersink Bits	69	Metal Expansion Plugs	49	Stainless Steel A4 Thin Wall Bolts	27
Cobalt Slotted Countersink Bits	69	Metal Nail In Anchors	31	Stainless Steel A4 Throughbolts	13
Coloured Cover Caps	62,95	Metalfix	56-59,93	Steel Nail In Anchors	31
Concrete Screws	30,76,83,91	Metalfix Gash Point Screw	58,81,85,94	Stitching Bar	43
Concrete Screws Cover Caps	30	Metalfix High Thread	59	Straight Perforated Fixing Band	34
Countersunk Head Ankerbolts	15,75	Metalfix High Thread Screw	58	Straight Shank Masonry Drill Bit Sets	66
Countersunk Head Sleeve Anchors	18	Metalfix Horizontal Hanger	62	Straight Shank Masonry Drill Bits	65
Countersunk Head Wall Screws	33,79,86	Metalfix Loose Washer	57,81,95	Stud and Nut Heavy Duty Anchors	24
Countersunk Heavy Duty Anchors	24	Metalfix Magnetic Socket	59	Thin Wall Bolts	26-27
Countersunk Nylon Frame Fixing	46	Metalfix Stitching Screws	58,81,86,95	Throughbolts	10-13,74,82,92
Crack Stitch Twist Starter Kit	42	Metalfix Vertical Hanger	62	Tool Kit PA97	54
Cylindrical Head Concrete Screws	30	Metric HSS Cobalt High Speed Steel Drill Bits	67	Torx Driver Bits	17
Drill Bits	64-70	Metric HSS Reduced Shanks	68	Universal Plugs	90-91
Drivefast Gas Nails	52	Mixer Nozzle	41	Vertical Flange Clip	33
Drivefast Gas Only	53	Mixing Paddle	42	Vinylester Fast Cure Resin	36
Drop In Anchors	20-21	Multidril Tungsten Carbide Universal Drill Bits	69	Vinylester Resin	35
Drop In Anchor Setting Punches	21	Nail In Anchors	31	Wafer Head Screw	59,81,95
Dual Threaded and Single Thread Socket Bolts	17	Nail In Sockets	13	Wall Screws	33,79,86
Epoxy Acrylate Resin	35	Nylon and Cavity	45-51	W.C. Fixing	32
ETA Approved J-Fix Studs	38	Nylon Frame Fixing	46-47,76,84,90	Window Frame Anchors	46
ETA Approved Countersunk Nylon Frame Fixing	46	Nylon Hammer Screw	76,84,90	Wirehangers	13
ETA Option 1 Ankerbolts	16	Nylon Nail Plugs	45	Wire Mesh Sleeve	41
ETA Option 1 Heavy Duty Anchors	23-24	Nylon Sleeve	41	Woodfix	57-58,61,80,86,93
ETA Option 1 Throughbolts	10	Nylon Toggles	78	Zinc and Yellow Grade 10.9 Blind Bolts	25
ETA Option 7 Throughbolts	11	Nylon Wall Plugs	48,77,84	Zinc Flake Thin Wall Bolts	26
Expanding Foam	43-44	PA and Gas	52-55	Zinc Plated and Clear Passivated Ankerbolts	14
Eye Bolt Shield Anchor	29,76,88	Pan Head Ankerbolts	14	Zinc Plated and Clear Passivated Drop In Anchors	20
Eye Bolt Sleeve Anchor	19,92	Pan Head Wall Screws	33,79,86	Zinc Plated and Clear Passivated Fibre Cement Screws	60
Eye Bolts	17	Phillips No.3 Drive Bit	58	Zinc Plated and Yellow Passivated Hammer Screws	45
Fibre Cement Screws	60	Plain Ended J-Fix Studs	38	Zinc Plated and Clear Passivated Heavy Duty Anchors	23-24
Fire Stop Expanding Foam	44	Plasterboard Fixings	77,84,89	Zinc Plated and Clear Passivated J-Fix Studs	38
Fixing Bands	34	Plasterboard Plugs	78,91	Zinc Plated and Clear Passivated Metalfix	56-59,62-63
Flange Head Hammer Screws	45	Plastic Headed Nails	32,81	Zinc Plated and Clear Passivated Throughbolts	10-11
Flat Wood Bits	70	Plastic Toggles	51,78,89	Zinc Plated and Clear Passivated Woodfix	57,80,86,93
Forged Eye Bolts	22	Plastic Wall Plugs	77	Zinc Plated and Yellow Passivated Drop In Anchors	20
Forged Hook Bolts	22	Plastic Washered Pins	55	Zinc Plated and Yellow Passivated Hollow Wall Anchors	50,78,85,89
Galvanised Fixing Band	34	Pointing Gun	42	Zinc Plated and Yellow Passivated J-Fix Studs	38
Gash Point Vertical Hanger	63	Polybag and Minibags	87-95	Zinc Plated and Yellow Passivated Nylon Frame Fixing	46
Gauge Angled Brads	53	Polyester Styrene Free Resin	36	Zinc Plated and Yellow Passivated Sleeve Anchors	18-19
Geomet 500-1000 Blind Bolts	25	Polyester Resin	36	Zinc Plated and Yellow Passivated Spring Toggles	51,78,90
Glass Capsules	37	Polyurethane Cleaner	44	Zinc Plated and Yellow Passivated Throughbolts	10
Grooved Nails	32	Pozi Pan Head Self Drilling Screws	57	Zinc Plated and Yellow Passivated Window Frame Anchor	46
Hammer In Capsules	37	Premium Nylon Wall Plugs	48	Zinc Plated Internal Threaded Sockets	40
Hammer Screws	45,76,84,90	Projecting Bolt Shield Anchors	28,75,83,88		
Handi Pack Drivefast	52	Pure Epoxy Resin	35		
Heavy Duty	10-27	Push Plugs	47		
Heavy Duty Anchors	23-24	Road Fixing Kit	49		
Heavy Duty Blind Bolts	26	Rockite	37		
Hexagon Bolt Heavy Duty Anchors	23	Rosett Cavity Fixing	50,77,85,89		
Hexagon Bolt Sleeve Anchors	18	Round Perforated Fixing Band	34		
Hexagon Flange Head Ankerbolts	14,74,82	Sanitary Fixings	33,79		
Hexagon Head Ankerbolts	14,74,82	Scaffold Eye Plugs	22		
Hexagon Nut Sleeve Anchors	18,74	Scaffold Retaining Eyes	22		
High Speed Steel Drill Bits	67	Scaffold Ring Bolts	22		
Hollow Wall Anchor	50,78,85,89	SDS+ Drill Bits	64-65		
Hollow Wall Anchor Setting Tool	51	SDS+ High Performance Drill Bits	64		
Hook Bolts	17	SDS+ Drill Bit Sets	66		
Hook Bolt Shield Anchors	29,88	SDS Max Drill Bits	65		
Hook Bolt Sleeve Anchors	19	Self Drilling Screws	56-63,80,85		
Hot Dipped Galvanised Throughbolts	12	Setting Tool for Rod Hanger	63		
Hot Dipped Galvanised J-Fix Studs	39	Shield Anchors	28-29,75-76,83,88		
HSS Cobalt High Speed Steel Drill Bits	67	Shield Only Shield Anchors	29		
HSS Countersink Bits	68	Shot Fired Pins	55		
HSS Drill Bit Cases	68	Sleeve Anchors	18-19,92		
HSS Reduced Shanks	68	Socket Bolt	17		

TERMS AND CONDITIONS OF SALE

1. APPLICATION

Unless otherwise agreed in writing between the company and its customer, the following terms and conditions of sales shall apply to all sales of goods by the company to its customer.

2. PRICE VARIATION

Price applicable to the sales of goods by the company to the customer shall be the price ruling at the date of despatch. The company therefore reserves the right to amend prices quoted at the date of the placing of an order by the customer by notifying the customer in writing.

3. CARRIAGE

The Company reserves the right as part of this contract to impose such surcharge or carriage charge as shall be laid down by the company policy at any time. Such terms will be available for examination at the address of the company shown on the letterhead of its invoices and are deemed to be part of all contracts unless specifically agreed to the contrary in writing by the company. The company has sole choice of method of delivery and of carrier or carriers employed unless specifically agreed in writing to the contrary.

4. DESPATCH

Despatch dates are quoted without engagement although every endeavour will be made to adhere to the date or dates quoted. In no circumstances shall the company be liable for any loss arising from delay in despatch however caused. Time shall not be of the essence of the contract.

5. DAMAGE AND LOSS IN TRANSIT

5.1 The company accepts no liability for any damage to goods in transit unless notified to the company and the carrier concerned within twenty four hours after delivery.

5.2 In the case of non-delivery the company accepts no liability of any sort unless written notice of non-delivery is given to the company within seven days after the date of the advice of despatch of the goods.

5.3 Paragraphs one and two shall not apply to despatches to countries outside the United Kingdom of Great Britain, Northern Ireland and the Isle of Man. In respect of these countries the company accepts no liability for damage or loss in transit unless the company has contracted to supply the goods C.I.F. and the customer has adhered to the terms of the insurance policy.

5.4 The company's liability for damage in transit or non-delivery of goods duly notified to it in accordance with the above, shall in any event be limited solely to replacement of the goods within a reasonable time, whether non-delivery or damage is due to the company's negligence or otherwise.

6. CLAIMS

Subject to the provision of condition 5, all claims for goods alleged to be defective must be made in writing to the company within seven days after the date of delivery. When notification is so received the company may require return of the goods or for the goods to be made available for inspection by the company. Should the company be satisfied as to the defects then it retains the option to either replace the defective goods within a reasonable time or credit to the customer within the contract price. All defective goods so returned shall be the property of the company. Except as provided above, the company shall have no liability whatsoever arising out of any agreement to sell or sale of goods including claims for direct consequential or other loss, damage or expense, whether arising or alleged to arise under any warranty statement, conditional term expressed or implied, statutory or otherwise, or in negligence or alleged negligence on the part of the company or otherwise. In no circumstances shall the company be liable for loss or damage in excess of the contract sale price.

7. PASSING OF PROPERTY

Each of the following sub-clauses 7.1 to 7.6 are separate and severable and shall be enforceable accordingly:

7.1 Notwithstanding delivery, all goods supplied by us will remain our absolute property until you pay in full for them and for all other goods previously supplied by us;

7.2 You will store the goods in such a way that they are readily identifiable as our property, but you may, as trustees for us, sell them to a third party in the normal course of your business;

7.3 Upon any sale by you of the goods (either alone or with other items) all rights which you have against the buyer shall automatically vest in us;

7.4 We shall be entitled immediately after giving notice of our intention to repossess, to enter upon any premises with such transport as may be necessary and repossess any goods to which we have title under this Clause;

7.5 If you incorporate the goods we supply to you into other products with or without materials you already possess or which are supplied to you by third parties the property in such other product will pass to us and you shall store them without charge on our behalf as bailee;

7.6 You shall not be entitled to pledge or in any way charge by way of security any of the goods which remain our property but in the event you do so all moneys owing by you to us shall without prejudice to any other right or remedy available to us forthwith become due and payable.

8. PAYMENT

For the purpose of this Clause the due date shall mean the due date specified on the face of the invoice. Customers electing to pay by Direct Debit shall mean the 28th of the month following the month of the invoice. If you do not comply punctually with these terms of payment we reserve the right to charge you interest on any amount overdue at the rate of 1½% per month from the due date to the date of receipt of the monies outstanding, and without notice to suspend further deliveries until all arrears (including interest) have been paid and, at our option, to rescind any subsisting contract with you as to all or any parts of future deliveries but without prejudice to any rights already accrued to us under such contracts. Where a settlement discount is shown on the face of the invoice the customer may deduct this from his payment provided that payment in full less this discount is made by the due date.

9. ADDITIONAL DELIVERIES

Where the company has been obliged to make an additional delivery of the goods to the premises specified in the contract due to the failure of the customer to accept the delivery of the goods, the company reserves the right to make a charge for such additional delivery, unless the company failed to meet a specified time and date of delivery agreed in writing by the company and the customer. Any proposed delivery date specified on this invoice or on a sales order does not constitute such agreement in writing.

10. INTERPRETATION

Any agreement between the company and the purchaser shall be subject to and governed by the domestic law of England.

NOTES







Technical Office

Teddington
tel 020 8943 1800
fax 020 8943 1140
jcp@owlett-jaton.com

Sales Office

Stone
tel 01785 819819
fax 01785 819699
info@owlett-jaton.com

Sales Office

Dartford
tel 01322 277733
fax 01322 288043
dartford.sales@owlett-jaton.com

Sales Office

Swindon
tel 01793 527829
fax 01793 529538
swindon.sales@owlett-jaton.com

Sales Office

Elland
tel 01422 370121
fax 01422 377277
elland.sales@owlett-jaton.com

Sales Office

Milton Keynes
tel 01908 201600
fax 01908 669102
milton.keynes@owlett-jaton.com

Head Office

Opal Way, Stone Business Park, Stone, Staffordshire ST15 0SW
Tel 01785 811300